

18.7: The Group 5A Elements

Learning Objectives

- To understand the trends in properties and reactivity of the group 15 elements: the pnictogens.

Like the group 14 elements, the lightest member of [group 15](#), nitrogen, is found in nature as the free element, and the heaviest elements have been known for centuries because they are easily isolated from their ores. Antimony (Sb) was probably the first of the pnictogens to be obtained in elemental form and recognized as an element. Its atomic symbol comes from its Roman name: stibium. It is found in stibnite (Sb_2S_3), a black mineral that has been used as a cosmetic (an early form of mascara) since biblical times, and it is easily reduced to the metal in a charcoal fire (Figure 18.7.1). The Egyptians used antimony to coat copper objects as early as the third millennium BC, and antimony is still used in alloys to improve the tonal quality of bells.




Figure 18.7.1: The Ancient Egyptians Used Finely Ground Antimony Sulfide for Eye Makeup. (a) Crystals of the soft black mineral stibnite (Sb_2S_3) on a white mineral matrix. (b) A fragment of an Egyptian painting on limestone from the 16th–13th centuries BC shows the use of ground stibnite (“kohl”) as black eye shadow. Small vases of ground stibnite have been found among the funeral goods buried with Egyptian pharaohs.

In the form of its yellow sulfide ore, orpiment (As_2S_3), arsenic (As) has been known to physicians and professional assassins since ancient Greece, although elemental arsenic was not isolated until centuries later. The history of bismuth (Bi), in contrast, is more difficult to follow because early alchemists often confused it with other metals, such as lead, tin, antimony, and even silver (due to its slightly pinkish-white luster). Its name comes from the old German *wismut*, meaning “white metal.” Bismuth was finally isolated in the 15th century, and it was used to make movable type for printing shortly after the invention of the Gutenberg printing process in 1440. Bismuth is used in printing because it is one of the few substances known whose solid state is less dense than the liquid. Consequently, its alloys expand as they cool, filling a mold completely and producing crisp, clear letters for typesetting.

Phosphorus was discovered in 1669 by the German alchemist Hennig Brandt, who was looking for the “philosophers’ stone,” a mythical substance capable of converting base metals to silver or gold. Believing that human urine was the source of the key ingredient, Brandt obtained several dozen buckets of urine, which he allowed to putrefy. The urine was distilled to dryness at high temperature and then condensed; the last fumes were collected under water, giving a waxy white solid that had unusual properties. For example, it glowed in the dark and burst into flames when removed from the water. (Unfortunately for Brandt, however, it did not turn lead into gold.) The element was given its current name (from the Greek *phos*, meaning “light,” and *phoros*, meaning “bringing”) in the 17th century. For more than a century, the only way to obtain phosphorus was the distillation of urine, but in 1769 it was discovered that phosphorus could be obtained more easily from bones. During the 19th century, the demand for phosphorus for matches was so great that battlefields and paupers’ graveyards were systematically scavenged for bones. Early matches were pieces of wood coated with elemental phosphorus that were stored in an evacuated glass tube and ignited when the tube was broken (which could cause unfortunate accidents if the matches were kept in a pocket!).

Unfortunately, elemental phosphorus is volatile and highly toxic. It is absorbed by the teeth and destroys bone in the jaw, leading to a painful and fatal condition called “phossy jaw,” which for many years was accepted as an occupational hazard of working in the match industry.

Although nitrogen is the most abundant element in the atmosphere, it was the last of the pnictogens to be obtained in pure form. In 1772, Daniel Rutherford, working with Joseph Black (who discovered CO_2), noticed that a gas remained when CO_2 was removed from a combustion reaction. Antoine Lavoisier called the gas *azote*, meaning “no life,” because it did not support life. When it was

discovered that the same element was also present in nitric acid and nitrate salts such as KNO_3 (nitre), it was named nitrogen. About 90% of the nitrogen produced today is used to provide an inert atmosphere for processes or reactions that are oxygen sensitive, such as the production of steel, petroleum refining, and the packaging of foods and pharmaceuticals.

Preparation and General Properties of the Group 15 Elements

Because the atmosphere contains several trillion tons of elemental nitrogen with a purity of about 80%, it is a huge source of nitrogen gas. Distillation of liquefied air yields nitrogen gas that is more than 99.99% pure, but small amounts of very pure nitrogen gas can be obtained from the thermal decomposition of sodium azide:



In contrast, Earth's crust is relatively poor in nitrogen. The only important nitrogen ores are large deposits of KNO_3 and NaNO_3 in the deserts of Chile and Russia, which were apparently formed when ancient alkaline lakes evaporated. Consequently, virtually all nitrogen compounds produced on an industrial scale use atmospheric nitrogen as the starting material. Phosphorus, which constitutes only about 0.1% of Earth's crust, is much more abundant in ores than nitrogen. Like aluminum and silicon, phosphorus is always found in combination with oxygen, and large inputs of energy are required to isolate it.

The other three pnictogens are much less abundant: arsenic is found in Earth's crust at a concentration of about 2 ppm, antimony is an order of magnitude less abundant, and bismuth is almost as rare as gold. All three elements have a high affinity for the chalcogens and are usually found as the sulfide ores (M_2S_3), often in combination with sulfides of other heavy elements, such as copper, silver, and lead. Hence a major source of antimony and bismuth is flue dust obtained by smelting the sulfide ores of the more abundant metals.

In group 15, as elsewhere in the p block, we see large differences between the lightest element (N) and its congeners in size, ionization energy, electron affinity, and electronegativity (Table 18.7.1). The chemical behavior of the elements can be summarized rather simply: nitrogen and phosphorus behave chemically like nonmetals, arsenic and antimony behave like semimetals, and bismuth behaves like a metal. With their ns^2np^3 valence electron configurations, all form compounds by losing either the three np valence electrons to form the +3 oxidation state or the three np and the two ns valence electrons to give the +5 oxidation state, whose stability decreases smoothly from phosphorus to bismuth. In addition, the relatively large magnitude of the electron affinity of the lighter pnictogens enables them to form compounds in the -3 oxidation state (such as NH_3 and PH_3), in which three electrons are formally added to the neutral atom to give a filled np subshell. Nitrogen has the unusual ability to form compounds in nine different oxidation states, including -3, +3, and +5. Because neutral covalent compounds of the trivalent pnictogens contain a lone pair of electrons on the central atom, they tend to behave as Lewis bases.

Table 18.7.1: Selected Properties of the Group 15 Elements

Property	Nitrogen	Phosphorus	Arsenic	Antimony	Bismuth
atomic symbol	N	P	As	Sb	Bi
atomic number	7	15	33	51	83
atomic mass (amu)	14.01	30.97	74.92	121.76	209.98
valence electron configuration*	$2s^22p^3$	$3s^23p^3$	$4s^24p^3$	$5s^25p^3$	$6s^26p^3$
melting point/boiling point (°C)	-210/-196	44.15/281 ^c	817 (at 3.70 MPa)/603 (sublimes) [†]	631/1587	271/1564
density (g/cm ³) at 25°C	1.15 (g/L)	1.82 [†]	5.75 [‡]	6.68	9.79

*The configuration shown does not include filled d and f subshells. [†]For white phosphorus. [‡]For gray arsenic. [§]The values cited are for six-coordinate ions in the indicated oxidation states. The N^{5+} , P^{5+} , and As^{5+} ions are not known species. ^{||}The chemical form of the elements in these oxidation states varies considerably. For N, the reaction is $\text{NO}_3^- + 3\text{H}^+ + 2\text{e}^- \rightarrow \text{HNO}_2 + \text{H}_2\text{O}$; for P and As, it is $\text{H}_3\text{EO}_4 + 2\text{H}^+ + 2\text{e}^- \rightarrow \text{H}_3\text{EO}_3 + \text{H}_2\text{O}$; and for Sb it is $\text{Sb}_2\text{O}_5 + 4\text{e}^- + 10\text{H}^+ \rightarrow 2\text{Sb}^{3+} + 5\text{H}_2\text{O}$.

Property	Nitrogen	Phosphorus	Arsenic	Antimony	Bismuth
atomic radius (pm)	56	98	114	133	143
first ionization energy (kJ/mol)	1402	1012	945	831	703
common oxidation state(s)	-3 to +5	+5, +3, -3	+5, +3	+5, +3	+3
ionic radius (pm) [§]	146 (-3), 16 (+3)	212 (-3), 44 (+3)	58 (+3)	76 (+3), 60 (+5)	103 (+3)
electron affinity (kJ/mol)	0	-72	-78	-101	-91
electronegativity	3.0	2.2	2.2	2.1	1.9
standard reduction potential (E°, V) (E ^V → E ^{III} in acidic solution)	+0.93	-0.28	+0.56	+0.65	—
product of reaction with O ₂	NO ₂ , NO	P ₄ O ₆ , P ₄ O ₁₀	As ₄ O ₆	Sb ₂ O ₅	Bi ₂ O ₃
type of oxide	acidic (NO ₂), neutral (NO, N ₂ O)	acidic	acidic	amphoteric	basic
product of reaction with N ₂	—	none	none	none	none
product of reaction with X ₂	none	PX ₃ , PX ₅	AsF ₅ , AsX ₃	SbF ₅ , SbCl ₅ , SbBr ₃ , SbI ₃	BiF ₅ , BiX ₃
product of reaction with H ₂	none	none	none	none	none

*The configuration shown does not include filled d and f subshells. [†]For white phosphorus. [‡]For gray arsenic. [§]The values cited are for six-coordinate ions in the indicated oxidation states. The N⁵⁺, P⁵⁺, and As⁵⁺ ions are not known species. ^{||}The chemical form of the elements in these oxidation states varies considerably. For N, the reaction is NO₃⁻ + 3H⁺ + 2e⁻ → HNO₂ + H₂O; for P and As, it is H₃EO₄ + 2H⁺ + 2e⁻ → H₃EO₃ + H₂O; and for Sb it is Sb₂O₅ + 4e⁻ + 10H⁺ → 2Sb³⁺ + 5H₂O.

In group 15, the stability of the +5 oxidation state decreases from P to Bi.


Because neutral covalent compounds of the trivalent group 15 elements have a lone pair of electrons on the central atom, they tend to be Lewis bases.

Reactions and Compounds of Nitrogen


Like carbon, nitrogen has four valence orbitals (one 2s and three 2p), so it can participate in at most four electron-pair bonds by using sp³ hybrid orbitals. Unlike carbon, however, nitrogen does not form long chains because of repulsive interactions between lone pairs of electrons on adjacent atoms. These interactions become important at the shorter internuclear distances encountered with the smaller, second-period elements of groups 15, 16, and 17. Stable compounds with N–N bonds are limited to chains of no more than three N atoms, such as the azide ion (N₃⁻).

Nitrogen is the only pnictogen that normally forms multiple bonds with itself and other second-period elements, using π overlap of adjacent np orbitals. Thus the stable form of elemental nitrogen is N₂, whose N≡N bond is so strong (D_{N≡N} = 942 kJ/mol) compared with the N–N and N=N bonds (D_{N–N} = 167 kJ/mol; D_{N=N} = 418 kJ/mol) that all compounds containing N–N and N=N bonds are thermodynamically unstable with respect to the formation of N₂. In fact, the formation of the N≡N bond is so thermodynamically favored that virtually all compounds containing N–N bonds are potentially explosive.

Again in contrast to carbon, nitrogen undergoes only two important chemical reactions at room temperature: it reacts with metallic lithium to form lithium nitride, and it is reduced to ammonia by certain microorganisms. At higher temperatures, however, N_2 reacts with more electropositive elements, such as those in group 13, to give binary nitrides, which range from covalent to ionic in character. Like the corresponding compounds of carbon, binary compounds of nitrogen with oxygen, hydrogen, or other nonmetals are usually covalent molecular substances.



Few binary molecular compounds of nitrogen are formed by direct reaction of the elements. At elevated temperatures, N_2 reacts with H_2 to form ammonia, with O_2 to form a mixture of NO and NO_2 , and with carbon to form cyanogen ($\text{N}\equiv\text{C}-\text{C}\equiv\text{N}$); elemental nitrogen does not react with the halogens or the other chalcogens. Nonetheless, all the binary nitrogen halides (NX_3) are known. Except for NF_3 , all are toxic, thermodynamically unstable, and potentially explosive, and all are prepared by reacting the halogen with NH_3 rather than N_2 . Both nitrogen monoxide (NO) and nitrogen dioxide (NO_2) are thermodynamically unstable, with positive free energies of formation. Unlike NO, NO_2 reacts readily with excess water, forming a 1:1 mixture of nitrous acid (HNO_2) and nitric acid (HNO_3):




Nitrogen also forms N_2O (dinitrogen monoxide, or nitrous oxide), a linear molecule that is isoelectronic with CO_2 and can be represented as $\text{N}^+=\text{N}^+=\text{O}$. Like the other two oxides of nitrogen, nitrous oxide is thermodynamically unstable. The structures of the three common oxides of nitrogen are as follows:

Few binary molecular compounds of nitrogen are formed by the direct reaction of the elements.

At elevated temperatures, nitrogen reacts with highly electropositive metals to form ionic nitrides, such as Li_3N and Ca_3N_2 . These compounds consist of ionic lattices formed by M^{n+} and N^{3-} ions. Just as boron forms interstitial borides and carbon forms interstitial carbides, with less electropositive metals nitrogen forms a range of interstitial nitrides, in which nitrogen occupies holes in a close-packed metallic structure. Like the interstitial carbides and borides, these substances are typically very hard, high-melting materials that have metallic luster and conductivity.

Nitrogen also reacts with semimetals at very high temperatures to produce covalent nitrides, such as Si_3N_4 and BN, which are solids with extended covalent network structures similar to those of graphite or diamond. Consequently, they are usually high melting and chemically inert materials.

Ammonia (NH_3) is one of the few thermodynamically stable binary compounds of nitrogen with a nonmetal. It is not flammable in air, but it burns in an O_2 atmosphere:






About 10% of the ammonia produced annually is used to make fibers and plastics that contain amide bonds, such as nylons and polyurethanes, while 5% is used in explosives, such as ammonium nitrate, TNT (trinitrotoluene), and nitroglycerine. Large amounts of anhydrous liquid ammonia are used as fertilizer.

Nitrogen forms two other important binary compounds with hydrogen. Hydrazoic acid (HN_3), also called hydrogen azide, is a colorless, highly toxic, and explosive substance. Hydrazine (N_2H_4) is also potentially explosive; it is used as a rocket propellant and to inhibit corrosion in boilers.

B, C, and N all react with transition metals to form interstitial compounds that are hard, high-melting materials.

✓ Example 18.7.1

For each reaction, explain why the given products form when the reactants are heated.



Given: balanced chemical equations

Asked for: why the given products form

Strategy:




Classify the type of reaction. Using periodic trends in atomic properties, thermodynamics, and kinetics, explain why the observed reaction products form.

Solution



- As an alkali metal, strontium is a strong reductant. If the other reactant can act as an oxidant, then a redox reaction will occur. Nitrous oxide contains nitrogen in a low oxidation state (+1), so we would not normally consider it an oxidant. Nitrous oxide is, however, thermodynamically unstable ($\Delta H^\circ_f > 0$ and $\Delta G^\circ_f > 0$), and it can be reduced to N_2 , which is a stable species. Consequently, we predict that a redox reaction will occur.
- When a substance is heated, a decomposition reaction probably will occur, which often involves the release of stable gases. In this case, ammonium nitrite contains nitrogen in two different oxidation states (−3 and +3), so an internal redox reaction is a possibility. Due to its thermodynamic stability, N_2 is the probable nitrogen-containing product, whereas we predict that H and O will combine to form H_2O .
- Again, this is probably a thermal decomposition reaction. If one element is in an usually high oxidation state and another in a low oxidation state, a redox reaction will probably occur. Lead nitrate contains the Pb^{2+} cation and the nitrate anion, which contains nitrogen in its highest possible oxidation state (+5). Hence nitrogen can be reduced, and we know that lead can be oxidized to the +4 oxidation state. Consequently, it is likely that lead(II) nitrate will decompose to lead(IV) oxide and nitrogen dioxide when heated. Even though PbO_2 is a powerful oxidant, the release of a gas such as NO_2 can often drive an otherwise unfavorable reaction to completion (Le Chatelier's principle). Note, however, that PbO_2 will probably decompose to PbO at high temperatures.

? Exercise 23.3.1

Predict the product(s) of each reaction and write a balanced chemical equation for each reaction.



Answer



Reactions and Compounds of the Heavier Pnictogens

Like the heavier elements of group 14, the heavier pnictogens form catenated compounds that contain only single bonds, whose stability decreases rapidly as we go down the group. For example, phosphorus exists as multiple allotropes, the most common of which is white phosphorus, which consists of P_4 tetrahedra and behaves like a typical nonmetal. As is typical of a molecular solid, white phosphorus is volatile, has a low melting point (44.1°C), and is soluble in nonpolar solvents. It is highly strained, with bond angles of only 60°, which partially explains why it is so reactive and so easily converted to more stable allotropes. Heating white phosphorus for several days converts it to red phosphorus, a polymer that is air stable, virtually insoluble, denser than white

phosphorus, and higher melting, properties that make it much safer to handle. A third allotrope of phosphorus, black phosphorus, is prepared by heating the other allotropes under high pressure; it is even less reactive, denser, and higher melting than red phosphorus. As expected from their structures, white phosphorus is an electrical insulator, and red and black phosphorus are semiconductors. The three heaviest pnictogens—arsenic, antimony, and bismuth—all have a metallic luster, but they are brittle (not ductile) and relatively poor electrical conductors.

As in group 14, the heavier group 15 elements form catenated compounds that contain only single bonds, whose stability decreases as we go down the group.

The reactivity of the heavier pnictogens decreases as we go down the column. Phosphorus is by far the most reactive of the pnictogens, forming binary compounds with every element in the periodic table except antimony, bismuth, and the noble gases. Phosphorus reacts rapidly with O_2 , whereas arsenic burns in pure O_2 if ignited, and antimony and bismuth react with O_2 only when heated. None of the pnictogens reacts with nonoxidizing acids such as aqueous HCl , but all dissolve in oxidizing acids such as HNO_3 . Only bismuth behaves like a metal, dissolving in HNO_3 to give the hydrated Bi^{3+} cation.


The reactivity of the heavier group 15 elements decreases as we go down the column.

The heavier pnictogens can use energetically accessible 3d, 4d, or 5d orbitals to form dsp^3 or d^2sp^3 hybrid orbitals for bonding. Consequently, these elements often have coordination numbers of 5 or higher. Phosphorus and arsenic form halides (e.g., $AsCl_5$) that are generally covalent molecular species and behave like typical nonmetal halides, reacting with water to form the corresponding oxoacids (in this case, H_3AsO_4). All the pentahalides are potent Lewis acids that can expand their coordination to accommodate the lone pair of a Lewis base:



In contrast, bismuth halides have extended lattice structures and dissolve in water to produce hydrated ions, consistent with the stronger metallic character of bismuth.

Except for BiF_3 , which is essentially an ionic compound, the trihalides are volatile covalent molecules with a lone pair of electrons on the central atom. Like the pentahalides, the trihalides react rapidly with water. In the cases of phosphorus and arsenic, the products are the corresponding acids, H_3PO_3 and H_3AsO_3 , where E is P or As:



Phosphorus halides are also used to produce insecticides, flame retardants, and plasticizers.

Phosphorus has the greatest ability to form π bonds with elements such as O, N, and C.

With energetically accessible d orbitals, phosphorus and, to a lesser extent, arsenic are able to form π bonds with second-period atoms such as N and O. This effect is even more important for phosphorus than for silicon, resulting in very strong P–O bonds and even stronger P=O bonds. The first four elements in group 15 also react with oxygen to produce the corresponding oxide in the +3 oxidation state. Of these oxides, P_4O_6 and As_4O_6 have cage structures formed by inserting an oxygen atom into each edge of the P_4 or As_4 tetrahedron (part (a) in Figure 18.7.2), and they behave like typical nonmetal oxides. For example, P_4O_6 reacts with water to form phosphorous acid (H_3PO_3). Consistent with its position between the nonmetal and metallic oxides, Sb_4O_6 is amphoteric, dissolving in either acid or base. In contrast, Bi_2O_3 behaves like a basic metallic oxide, dissolving in acid to give solutions that contain the hydrated Bi^{3+} ion. The two least metallic elements of the heavier pnictogens, phosphorus and arsenic, form very stable oxides with the formula E_4O_{10} in the +5 oxidation state (part (b) in Figure 18.7.2). In contrast, Bi_2O_5 is so unstable that there is no absolute proof it exists.




Figure 18.7.2: The Structures of Some Cage Compounds of Phosphorus. (a, b) The structures of P_4O_6 and P_4O_{10} are both derived from the structure of white phosphorus (P_4) by inserting an oxygen atom into each of the six edges of the P_4 tetrahedron; P_4O_{10} contains an additional terminal oxygen atom bonded to each phosphorus atom. (c) The structure of P_4S_3 is also derived from the structure of P_4 by inserting three sulfur atoms into three adjacent edges of the tetrahedron.

The heavier pnictogens form sulfides that range from molecular species with three-dimensional cage structures, such as P_4S_3 (part (c) in Figure 18.7.2), to layered or ribbon structures, such as Sb_2S_3 and Bi_2S_3 , which are semiconductors. Reacting the heavier pnictogens with metals produces substances whose properties vary with the metal content. Metal-rich phosphides (such as M_4P) are hard, high-melting, electrically conductive solids with a metallic luster, whereas phosphorus-rich phosphides (such as MP_{15}) are lower melting and less thermally stable because they contain catenated P_n units. Many organic or organometallic compounds of the heavier pnictogens containing one to five alkyl or aryl groups are also known. Because of the decreasing strength of the pnictogen–carbon bond, their thermal stability decreases from phosphorus to bismuth.

The thermal stability of organic or organometallic compounds of group 15 decreases down the group due to the decreasing strength of the pnictogen–carbon bond.

✓ Example 18.7.2

For each reaction, explain why the given products form.

- $Bi(s) + \frac{3}{2}Br(l) \rightarrow BiBr_3(s)$
- $2(CH_3)_3As(l) + O_2(g) \rightarrow 2(CH_3)_3As=O(s)$
- $PBr_3(l) + 3H_2O(l) \rightarrow H_3PO_3(aq) + 3HBr(aq)$
- $As(s) + Ga(s) \xrightarrow{\Delta} GaAs(s)$

Given: balanced chemical equations

Asked for: why the given products form

Strategy:

Classify the type of reaction. Using periodic trends in atomic properties, thermodynamics, and kinetics, explain why the reaction products form.

Solution

- Bromine is an oxidant, and bismuth is a metal that can be oxidized. Hence a redox reaction is likely to occur. To identify the product, recall that bismuth can form compounds in either the +3 or +5 oxidation state. The heaviest pnictogen, bismuth is rather difficult to oxidize to the +5 oxidation state because of the inert-pair effect. Hence the product will probably be bismuth(III) bromide.
- Trimethylarsine, with a lone pair of electrons on the arsenic atom, can act as either a Lewis base or a reductant. If arsenic is oxidized by two electrons, then oxygen must be reduced, most probably by two electrons to the –2 oxidation state. Because As(V) forms strong bonds to oxygen due to π bonding, the expected product is $(CH_3)_3As=O$.
- Phosphorus tribromide is a typical nonmetal halide. We expect it to react with water to produce an oxoacid of P(III) and the corresponding hydrohalic acid. Because of the strength of the P=O bond, phosphorous acid (H_3PO_3) is actually $HP(O)(OH)_2$, which contains a P=O bond and a P–H bond.
- Gallium is a metal with a strong tendency to act as a reductant and form compounds in the +3 oxidation state. In contrast, arsenic is a semimetal. It can act as a reductant to form compounds in the +3 or +5 oxidation state, or it can act as an oxidant, accepting electrons to form compounds in the –3 oxidation state. If a reaction occurs, then a binary compound will

probably form with a 1:1 ratio of the elements. GaAs is an example of a III-V compound, many of which are used in the electronics industry.

? Exercise 18.7.2

Predict the products of each reaction and write a balanced chemical equation for each reaction.

- $\text{PCl}_5(\text{s}) + \text{H}_2\text{O}(\text{l}) \rightarrow$
- $\text{Bi}_2\text{O}_5(\text{s}) \xrightarrow{\Delta}$
- $\text{Ca}_3\text{P}_2(\text{s}) + \text{H}^+(\text{aq}) \rightarrow$
- $\text{NaNH}_2(\text{s}) + \text{PH}_3(\text{soln}) \rightarrow$

Answer

- $\text{PCl}_5(\text{s}) + 4\text{H}_2\text{O}(\text{l}) \rightarrow \text{H}_3\text{PO}_4(\text{aq}) + 5\text{HCl}(\text{aq})$
- $\text{Bi}_2\text{O}_5(\text{s}) \xrightarrow{\Delta} \text{Bi}_2\text{O}_3(\text{s}) + \text{O}_2(\text{g})$
- $\text{Ca}_3\text{P}_2(\text{s}) + 6\text{H}^+(\text{aq}) \rightarrow 2\text{PH}_3(\text{g}) + 3\text{Ca}^{2+}(\text{aq})$
- $\text{NaNH}_2(\text{s}) + \text{PH}_3(\text{soln}) \rightarrow \text{NaPH}_2(\text{s}) + \text{NH}_3(\text{soln})$

Summary

The reactivity of the heavier group 15 elements decreases down the group, as does the stability of their catenated compounds. In group 15, nitrogen and phosphorus behave chemically like nonmetals, arsenic and antimony behave like semimetals, and bismuth behaves like a metal. Nitrogen forms compounds in nine different oxidation states. The stability of the +5 oxidation state decreases from phosphorus to bismuth because of the inert-pair effect. Due to their higher electronegativity, the lighter pnictogens form compounds in the -3 oxidation state. Because of the presence of a lone pair of electrons on the pnictogen, neutral covalent compounds of the trivalent pnictogens are Lewis bases. Nitrogen does not form stable catenated compounds because of repulsions between lone pairs of electrons on adjacent atoms, but it does form multiple bonds with other second-period atoms. Nitrogen reacts with electropositive elements to produce solids that range from covalent to ionic in character. Reaction with electropositive metals produces ionic nitrides, reaction with less electropositive metals produces interstitial nitrides, and reaction with semimetals produces covalent nitrides. The reactivity of the pnictogens decreases with increasing atomic number. Compounds of the heavier pnictogens often have coordination numbers of 5 or higher and use dsp^3 or d^2sp^3 hybrid orbitals for bonding. Because phosphorus and arsenic have energetically accessible d orbitals, these elements form π bonds with second-period atoms such as O and N. Phosphorus reacts with metals to produce phosphides. Metal-rich phosphides are hard, high-melting, electrically conductive solids with metallic luster, whereas phosphorus-rich phosphides, which contain catenated phosphorus units, are lower melting and less thermally stable.

18.7: The Group 5A Elements is shared under a [CC BY-NC-SA 4.0](#) license and was authored, remixed, and/or curated by LibreTexts.

- 21.3: The Elements of Group 15 (The Pnictogens) by Anonymous is licensed [CC BY-NC-SA 3.0](#).