


6.3: Cylindrical system

The cylindrical system contains non-crystallographic point groups with one axis of revolution (or isotropy axis). There are five groups in the spherical system:

Hermann-Mauguin symbol	Short Hermann-Mauguin symbol	Schönflies symbol	order of the group	general form
A_∞	∞	C_∞	∞	rotating cone
$\frac{A_\infty}{M} C$	$\bar{\infty}$	$C_{\infty h} \equiv S_\infty \equiv C_{\infty i}$	∞	rotating finite cylinder
$A_\infty \infty A_2$	$\infty 2$	D_∞	∞	finite cylinder submitted to equal and opposite torques
$A_\infty M$	∞m	$C_{\infty v}$	∞	stationary cone
$\frac{A_\infty}{M} \frac{\infty A_2}{\infty M} C$	$\bar{\infty} m \equiv \bar{\infty} \frac{2}{m}$	$D_{\infty h} \equiv D_{\infty d}$	∞	stationary finite cylinder



Note that $A_\infty M$ represents the symmetry of a force, or of an electric field and that $\frac{A_\infty}{M} C$ represents the symmetry of a magnetic field (Curie 1894), while $\frac{A_\infty}{M} \frac{\infty A_2}{\infty M} C$ represents the symmetry of a uniaxial compression.

This page titled [6.3: Cylindrical system](#) is shared under a [CC BY 4.0](#) license and was authored, remixed, and/or curated by [Online Dictionary of Crystallography](#) via [source content](#) that was edited to the style and standards of the LibreTexts platform.