

CHAPTER OVERVIEW

4: Aliphatic Nucleophilic Substitution

- [4.1: Introduction to Aliphatic Nucleophilic Substitution](#)
- [4.2: Mechanism of Aliphatic Nucleophilic Substitution](#)
- [4.3: Aliphatic Nucleophilic Substitution - Rate Laws](#)
- [4.4: Stereochemistry](#)
- [4.5: Regiochemistry](#)
- [4.6: Structural Factors Influencing the Mechanism](#)
- [4.7: Solvent Effects](#)
- [4.8: Nucleophilicity](#)
- [4.9: Enolate Nucleophiles](#)
- [4.10: Leaving Group Formation](#)
- [4.11: Addition to Strained Rings - Epoxides](#)
- [4.12: Elimination](#)
- [4.13: Regiochemistry in Elimination](#)
- [4.14: Stereochemistry in Elimination](#)
- [4.15: Factors Influencing the Elimination Mechanism](#)
- [4.16: Nucleophilic Substitution in Synthesis - Alcohols and Ethers](#)
- [4.17: Nucleophilic Substitution in Synthesis- Amines](#)
- [4.18: Nucleophilic Substitution at Silicon](#)
- [4.19: Extra Problems with Nucleophilic Substitution and Elimination](#)
- [4.20: Solutions to Selected Problems](#)

This page titled [4: Aliphatic Nucleophilic Substitution](#) is shared under a [CC BY-NC 3.0](#) license and was authored, remixed, and/or curated by [Chris Schaller](#) via [source content](#) that was edited to the style and standards of the LibreTexts platform.