

## CHAPTER OVERVIEW

### 6: Group 13

- [6.1: The Group 13 Elements](#)
- [6.2: Trends for the Group 13 Compounds](#)
- [6.3: Borides](#)
- [6.4: Boron Hydrides](#)
- [6.5: Wade's Rules](#)
- [6.6: Trends for the Oxides of the Group 13 Elements](#)
- [6.7: Boron Oxides, Hydroxides, and Oxyanions](#)
- [6.8: Aluminum Oxides, Hydroxides, and Hydrated Oxides](#)
- [6.9: Ceramic Processing of Alumina](#)
- [6.10: Boron Compounds with Nitrogen Donors](#)
- [6.11: Properties of Gallium Arsenide](#)
- [6.12: Electronic Grade Gallium Arsenide](#)
- [6.13: Chalcogenides of Aluminum, Gallium, and Indium](#)
- [6.14: Group 13 Halides](#)

*Thumbnail: Crystals of 99.999% gallium. (CC-SA-BY 3.0; Foobar)*

---

This page titled [6: Group 13](#) is shared under a [CC BY 3.0](#) license and was authored, remixed, and/or curated by [Andrew R. Barron \(CNX\)](#) via [source content](#) that was edited to the style and standards of the LibreTexts platform.