

2.8: The Periodic Table

Learning Objectives

- Explain how elements are organized into the periodic table.
- Describe how some characteristics of elements relate to their positions on the periodic table.

In the 19th century, many previously unknown elements were discovered, and scientists noted that certain sets of elements had similar chemical properties. For example, chlorine, bromine, and iodine react with other elements (such as sodium) to make similar compounds. Likewise, lithium, sodium, and potassium react with other elements (such as oxygen) to make similar compounds. Why is this so?

In 1864, Julius Lothar Meyer, a German chemist, organized the elements by atomic mass and grouped them according to their chemical properties. Later that decade, Dmitri Mendeleev, a Russian chemist, organized all the known elements according to similar properties. He left gaps in his table for what he thought were undiscovered elements, and he made some bold predictions regarding the properties of those undiscovered elements. When elements were later discovered whose properties closely matched Mendeleev's predictions, his version of the table gained favor in the scientific community. Because certain properties of the elements repeat on a regular basis throughout the table (that is, they are periodic), it became known as the periodic table.

Mendeleev had to list some elements out of the order of their atomic masses to group them with other elements that had similar properties.

The periodic table is one of the cornerstones of chemistry because it organizes all the known elements on the basis of their chemical properties. A modern version is shown in Figure 2.8.1. Most periodic tables provide additional data (such as atomic mass) in a box that contains each element's symbol. The elements are listed in order of atomic number.

Period	Group																18	
1																		
1	1																2	
	H																He	
	Hydrogen																Helium	
	Nonmetal																Noble Gas	
2	3	4															10	
	Li	Be															Ne	
	Lithium	Beryllium															Neon	
	Alkali Metal	Alkaline Earth															Noble Gas	
3	11	12															18	
	Na	Mg															Ar	
	Sodium	Magnesium															Argon	
	Alkali Metal	Alkaline Earth															Noble Gas	
4	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36
	K	Ca	Sc	Ti	V	Cr	Mn	Fe	Co	Ni	Cu	Zn	Ga	Ge	As	Se	Br	Kr
	Potassium	Calcium	Scandium	Titanium	Vanadium	Chromium	Manganese	Iron	Cobalt	Nickel	Copper	Zinc	Gallium	Germanium	Arsenic	Selenium	Bromine	Krypton
	Alkali Metal	Alkaline Earth	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Post-transition Metalloid	Post-transition Metalloid	Nonmetal	Nonmetal	Halogen	Noble Gas
5	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54
	Rb	Sr	Y	Zr	Nb	Mo	Tc	Ru	Rh	Pd	Ag	Cd	In	Sn	Sb	Te	I	Xe
	Rubidium	Strontium	Yttrium	Zirconium	Niobium	Molybdenum	Technetium	Ruthenium	Rhodium	Palladium	Silver	Cadmium	Indium	Tin	Antimony	Tellurium	Iodine	Xenon
	Alkali Metal	Alkaline Earth	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Post-transition Metalloid	Post-transition Metalloid	Metalloid	Metalloid	Halogen	Noble Gas
6	55	56	*	72	73	74	75	76	77	78	79	80	81	82	83	84	85	86
	Cs	Ba		Hf	Ta	W	Re	Os	Ir	Pt	Au	Hg	Tl	Pb	Bi	Po	At	Rn
	Cesium	Barium		Hafnium	Tantalum	Tungsten	Rhenium	Osmium	Iridium	Platinum	Gold	Mercury	Thallium	Lead	Bismuth	Polonium	Astatine	Radon
	Alkali Metal	Alkaline Earth		Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Post-transition Metalloid	Post-transition Metalloid	Post-transition Metalloid	Metalloid	Halogen	Noble Gas
7	87	88	**	104	105	106	107	108	109	110	111	112	113	114	115	116	117	118
	Fr	Ra		Rf	Db	Sg	Bh	Hs	Mt	Ds	Rg	Cn	Nh	Fl	Mc	Lv	Ts	Og
	Francium	Radium		Rutherfordium	Dubnium	Seaborgium	Bohrium	Hassium	Meitnerium	Darmstadtium	Roentgenium	Copernicium	Nihonium	Flerovium	Moscovium	Livermorium	Tennessine	Oganesson
	Alkali Metal	Alkaline Earth		Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Transition Metal	Post-transition Metalloid	Post-transition Metalloid	Post-transition Metalloid	Post-transition Metalloid	Halogen	Noble Gas
			*	57	58	59	60	61	62	63	64	65	66	67	68	69	70	71
				La	Ce	Pr	Nd	Pm	Sm	Eu	Gd	Tb	Dy	Ho	Er	Tm	Yb	Lu
				Lanthanum	Cerium	Praseodymium	Neodymium	Promethium	Samarium	Europium	Gadolinium	Terbium	Dysprosium	Holmium	Erbium	Thulium	Ytterbium	Lutetium
				Lanthanide	Lanthanide	Lanthanide	Lanthanide	Lanthanide	Lanthanide	Lanthanide	Lanthanide	Lanthanide	Lanthanide	Lanthanide	Lanthanide	Lanthanide	Lanthanide	Lanthanide
			**	89	90	91	92	93	94	95	96	97	98	99	100	101	102	103
				Ac	Th	Pa	U	Np	Pu	Am	Cm	Bk	Cf	Es	Fm	Md	No	Lr
				Actinium	Thorium	Protactinium	Uranium	Neptunium	Plutonium	Americium	Curium	Berkelium	Californium	Einsteinium	Fermium	Mendelevium	Nobelium	Lawrencium
				Actinide	Actinide	Actinide	Actinide	Actinide	Actinide	Actinide	Actinide	Actinide	Actinide	Actinide	Actinide	Actinide	Actinide	Actinide

Figure 2.8.1: Modern Periodic Table. (Public Domain; PubChem modified Leticia Colmenares).

Features of the Periodic Table

Elements that have similar chemical properties are grouped in columns called **groups** (or families). As well as being numbered, some of these groups have names—for example, *alkali metals* (the first column of elements), *alkaline earth metals* (the second column of elements), *halogens* (the next-to-last column of elements), and *noble gases* (the last column of elements).

Each row of elements on the periodic table is called a **period**. Periods have different lengths; the first period has only 2 elements (hydrogen and helium), while the second and third periods have 8 elements each. The fourth and fifth periods have 18 elements each, and later periods are so long that a segment from each is removed and placed beneath the main body of the table.

Metals, Nonmetals and Metalloids

Certain elemental properties become apparent in a survey of the periodic table as a whole. Every element can be classified as either a metal, a nonmetal, or a semimetal, as shown in Figure 2.8.2. A metal is a substance that is shiny, typically (but not always) silvery in color, and an excellent conductor of electricity and heat. Metals are also malleable (they can be beaten into thin sheets) and ductile (they can be drawn into thin wires). A nonmetal is typically dull and a poor conductor of electricity and heat. Solid nonmetals are also very brittle. As shown in Figure 2.8.2, **metals** occupy the left three-fourths of the periodic table, while **nonmetals** (except for hydrogen) are clustered in the upper right-hand corner of the periodic table. The elements with properties intermediate between those of metals and nonmetals are called **semimetals** (or **metalloids**). Elements adjacent to the **bold zigzag** line in the right-hand portion of the periodic table have semimetal properties.




Figure 2.8.2: Types of Elements. Elements are either metals, nonmetals, or semimetals. Each group is located in a different part of the periodic table.

✓ Example 2.8.1

Based on its position in the periodic table, do you expect selenium (Se) to be a metal, a nonmetal, or a semimetal?

Solution

The atomic number of selenium is 34, which places it in period 4 and group 16. In Figure 2.7.1, selenium lies above and to the right of the diagonal line marking the boundary between metals and nonmetals, so it should be a nonmetal. Note, however, that because selenium is close to the metal-nonmetal dividing line, it would not be surprising if selenium were similar to a semimetal in some of its properties.

Exercise

Based on its location in the periodic table, do you expect indium (In) to be a nonmetal, a metal, or a semimetal?

Answer

metal

Representative, Transition and Inner-transition

Another way to categorize the elements of the periodic table is shown in Figure 2.8.3. The first two columns on the left and the last six columns on the right are called the **main group** or **representative** elements. The ten-column block between these columns

contains the **transition metals**. The two rows beneath the main body of the periodic table contain the inner transition metals. The elements in these two rows are also referred to as, respectively, the **lanthanide metals** and the **actinide metals**.




Figure 2.8.3: Special Names for Sections of the Periodic Table. Some sections of the periodic table have special names. The elements lithium, sodium, potassium, rubidium, cesium, and francium are collectively known as alkali metals.

Alkali metals are the first column. Alkaline earth metals are the second. Halogens are the second to last column. Noble gases are the last column.

To Your Health: Transition Metals in the Body

Most of the elemental composition of the human body consists of main group elements. The first element appearing on the list that is not a main group element is iron, at 0.006 percentage by mass. Because iron has relatively massive atoms, it would appear even lower on a list organized in terms of percent by *atoms* rather than percent by mass.

Iron is a transition metal. Transition metals have interesting chemical properties, partially because some of their electrons are in *d* subshells. The chemistry of iron makes it a key component in the proper functioning of red blood cells.

Red blood cells are cells that transport oxygen from the lungs to cells of the body and then transport carbon dioxide from the cells to the lungs. Without red blood cells, animal respiration as we know it would not exist. The critical part of the red blood cell is a protein called *hemoglobin*. Hemoglobin combines with oxygen and carbon dioxide, transporting these gases from one location to another in the body. Hemoglobin is a relatively large molecule, with a mass of about 65,000 u.

The crucial atom in the hemoglobin protein is iron. Each hemoglobin molecule has four iron atoms, which act as binding sites for oxygen. It is the presence of this particular transition metal in your red blood cells that allows you to use the oxygen you inhale.

Other transition metals have important functions in the body, despite being present in low amounts. Zinc is needed for the body's immune system to function properly, as well as for protein synthesis and tissue and cell growth. Copper is also needed for several proteins to function properly in the body. Manganese is needed for the body to metabolize oxygen properly. Cobalt is a necessary component of vitamin B-12, a vital nutrient. These last three metals are not listed explicitly in Table 2.1.2, so they are present in the body in very small quantities. However, even these small quantities are required for the body to function properly.

As previously noted, the periodic table is arranged so that elements with similar chemical behaviors are in the same group. Chemists often make general statements about the properties of the elements in a group using descriptive names with historical origins. For example, the elements of Group 1 are known as the alkali metals, Group 2 are the alkaline earth metals, Group 17 are the halogens, and Group 18 are the noble gases.

Group 1: The Alkali Metals

The alkali metals are lithium, sodium, potassium, rubidium, cesium, and francium. Hydrogen is unique in that it is generally placed in Group 1, but it is not a metal. The compounds of the alkali metals are common in nature and daily life. One example is table salt (sodium chloride); lithium compounds are used in greases, in batteries, and as drugs to treat patients who exhibit manic-depressive, or bipolar, behavior. Although lithium, rubidium, and cesium are relatively rare in nature, and francium is so unstable and highly radioactive that it exists in only trace amounts, sodium and potassium are the seventh and eighth most abundant elements in Earth's crust, respectively.

Group 2: The Alkaline Earth Metals

The **alkaline earth metals** are beryllium, magnesium, calcium, strontium, barium, and radium. Beryllium, strontium, and barium are rare, and radium is unstable and highly radioactive. In contrast, calcium and magnesium are the fifth and sixth most abundant elements on Earth, respectively; they are found in huge deposits of limestone and other minerals.

Group 17: The Halogens

The **halogens** are fluorine, chlorine, bromine, iodine, and astatine. The name halogen is derived from the Greek words for “salt forming,” which reflects that all the halogens react readily with metals to form compounds, such as sodium chloride and calcium chloride (used in some areas as road salt).

Compounds that contain the fluoride ion are added to toothpaste and the water supply to prevent dental cavities. Fluorine is also found in Teflon coatings on kitchen utensils. Although chlorofluorocarbon propellants and refrigerants are believed to lead to the depletion of Earth’s ozone layer and contain both fluorine and chlorine, the latter is responsible for the adverse effect on the ozone layer. Bromine and iodine are less abundant than chlorine, and astatine is so radioactive that it exists in only negligible amounts in nature.

Group 18: The Noble Gases

The noble gases are helium, neon, argon, krypton, xenon, and radon. Because the noble gases are composed of only single atoms, they are called **monatomic**. At room temperature and pressure, they are **unreactive gases**. Because of their lack of reactivity, for many years they were called **inert gases** or rare gases. However, the first chemical compounds containing the noble gases were prepared in 1962. Although the noble gases are relatively minor constituents of the atmosphere, natural gas contains substantial amounts of helium. Because of its low reactivity, argon is often used as an unreactive (inert) atmosphere for welding and in light bulbs. The red light emitted by neon in a gas discharge tube is used in neon lights.

To Your Health: Radon

Radon is an invisible, odorless noble gas that is slowly released from the ground, particularly from rocks and soils whose uranium content is high. Because it is a noble gas, radon is not chemically reactive. Unfortunately, it is radioactive, and increased exposure to it has been correlated with an increased lung cancer risk.

Because radon comes from the ground, we cannot avoid it entirely. Moreover, because it is denser than air, radon tends to accumulate in basements, which if improperly ventilated can be hazardous to a building’s inhabitants. Fortunately, specialized ventilation minimizes the amount of radon that might collect. Special fan-and-vent systems are available that draw air from below the basement floor, before it can enter the living space, and vent it above the roof of a house.

After smoking, radon is thought to be the second-biggest *preventable* cause of lung cancer in the United States. The American Cancer Society estimates that 10% of all lung cancers are related to radon exposure. There is uncertainty regarding what levels of exposure cause cancer, as well as what the exact causal agent might be (either radon or one of its breakdown products, many of which are also radioactive and, unlike radon, not gases). The U.S. Environmental Protection Agency recommends testing every floor below the third floor for radon levels to guard against long-term health effects.

Why do elements in a given group have similar properties?

The periodic table is organized on the basis of similarities in elemental properties, but what explains these similarities? It turns out that the shape of the periodic table reflects the filling of subshells with electrons, as shown in Figure 2.8.4. Starting with the first period and going from left to right, the table reproduces the order of filling of the electron subshells in atoms. Furthermore, elements in the same *group* share the same valence shell electron configuration. For example, all elements in the first column have a single *s* electron in their valence shells, so their electron configurations can be described as ns^1 (where *n* represents the shell number). This last observation is crucial. Chemistry is largely the result of interactions between the valence electrons of different atoms. Thus, atoms that have **the same valence shell electron configuration** will have **similar chemistry**.




Figure 2.8.4 The Shape of the Periodic Table. The shape of the periodic table reflects the order in which electron shells and subshells fill with electrons.

✓ Example 2.8.1

Using the variable n to represent the number of the valence electron shell, write the valence shell electron configuration for each group.

- the alkaline earth metals
- the column of elements headed by carbon

Answer a

The alkaline earth metals are in the second column of the periodic table. This column corresponds to the s subshell being filled with 2 electrons. Therefore, the valence shell electron configuration is ns^2 .

Answer b

The electron configuration of carbon is $1s^2 2s^2 2p^2$. Its valence shell electron configuration is $2s^2 2p^2$. Every element in the same column should have a similar valence shell electron configuration, which we can represent as $ns^2 np^2$.

? Exercise 2.8.1

Using the variable n to represent the number of the valence electron shell, write the valence shell electron configuration for each group.

- the halogens
- the column of elements headed by oxygen

Answer a

The halogens are in the 17th column (or Group 7A) of the periodic table. This column corresponds to the p subshell being filled with 5 electrons. Therefore, the valence shell electron configuration is $ns^2 np^5$.

Answer b

The column headed by O is the 16th column (or Group 6A). This column corresponds to the p subshell being filled with 4 electrons. Therefore, the valence shell electron configuration is $ns^2 np^4$.

Valence Electrons and Group Number

The number of valence electrons of an element can be determined by the periodic table group (vertical column) in which the element is categorized. With the exception of groups 3–12 (the transition metals), the units digit of the group number identifies how many valence electrons are associated with a neutral atom of an element listed under that particular column.

Table 2.8.1. The Group number and the number of valence electrons.

Periodic table group	Valence electrons
Group 1 (I) (alkali metals)	1

Group 2 (II) (alkaline earth metals)	2
Groups 3-12 (transition metals)	2*
Group 13 (III) (boron group)	3
Group 14 (IV) (carbon group)	4
Group 15 (V) (pnictogens)	5
Group 16 (VI) (chalcogens)	6
Group 17 (VII) (halogens)	7
Group 18 (VIII or 0) (noble gases)	8**

* The general method for counting valence electrons is generally not useful for transition metals.

** Except for helium, which has only two valence electrons.

Atomic Radius

The periodic table is useful for understanding atomic properties that show periodic trends. One such property is the atomic radius (Figure 2.8.5). The atomic radius is defined as one-half the distance between the nuclei of identical atoms that are bonded together. The units for atomic radii are picometers, equal to 10^{-12} meters. As an example, the internuclear distance between the two hydrogen atoms in an H_2 molecule is measured to be 74 pm. Therefore, the atomic radius of a hydrogen atom is $\frac{74}{2} = 37$ pm.

As mentioned earlier, the higher the shell number, the farther from the nucleus the electrons in that shell are likely to be. In other words, the size of an atom is generally determined by the number of the valence electron shell. Therefore, as we go down a column on the periodic table, the atomic radius increases. As we go *across* a period on the periodic table, however, electrons are being added to the *same* valence shell; meanwhile, more protons are being added to the nucleus, so the positive charge of the nucleus is increasing. The increasing positive charge attracts the electrons more strongly, pulling them closer to the nucleus. Consequently, as we go across a period, from left to right, the atomic radius decreases. These trends are seen clearly in Figure 2.8.5




Figure 2.8.5 Trends on the Periodic Table. Atomic radii of the representative elements measured in picometers. The relative sizes of the atoms show several trends with regard to the structure of the periodic table. Atoms become larger going down a group and going from right to left across a period.

✓ Example 2.8.2

Using the periodic table (rather than Figure 2.8.5), which atom is larger?

- a. N or Bi
- b. Mg or Cl

Answer a

Bi is below N in Group 5A in the periodic table and has electrons in higher-numbered shells, hence we expect that Bi atoms are larger than N atoms.

Answer b

Both Mg and Cl are in period 3 of the periodic table, but Cl lies farther to the right. Therefore we expect Mg atoms to be larger than Cl atoms.

? Exercise 2.8.2

Using the periodic table (rather than Figure 2.8.5), which atom is larger?

- a. Li or F
- b. Na or K

Answer a

Li and F are on the same period, but F lies farther to the right. Therefore, we expect Li to be larger than F atoms.

Answer b

K lies below Na in Group 1A, hence has more electron shells, making it larger than Na.

📌 Career Focus: Clinical Chemist

Clinical chemistry is the area of chemistry concerned with the analysis of body fluids to determine the health status of the human body. Clinical chemists measure a variety of substances, ranging from simple elements such as sodium and potassium to complex molecules such as proteins and enzymes, in blood, urine, and other body fluids. The absence or presence, or abnormally low or high amounts, of a substance can be a sign of some disease or an indication of health. Many clinical chemists use sophisticated equipment and complex chemical reactions in their work, so they not only need to understand basic chemistry, but also be familiar with special instrumentation and how to interpret test results.

Concept Review Exercises

1. How are the elements organized into the periodic table?
2. Looking at the periodic table, where do the following elements appear?
 - a. the metals
 - b. the nonmetals
 - c. the halogens
 - d. the transition metals
 - e. the noble gases
3. Describe the trends in atomic radii as related to an element's position on the periodic table.

Answers

1. Elements are organized in order of increasing atomic number.
2.
 - a. the left three-quarters of the periodic table (to the left of the zigzag band)
 - b. the right quarter of the periodic table (to the right of the zigzag band)
 - c. the next-to-last column of the periodic table
 - d. the middle section of the periodic table

e. the last column of the periodic table

3. As you go across the periodic table, atomic radii decrease; as you go down the periodic table, atomic radii increase.

Key Takeaways

- The chemical elements are arranged in a chart called the periodic table.
- Some characteristics of the elements are related to their position on the periodic table.
- The number of valence electrons of an element can be determined by the group (vertical column) number in the Periodic Table. Elements with the same number of valence electrons have similar chemical properties.

This page titled [2.8: The Periodic Table](#) is shared under a [CC BY-NC-SA 4.0](#) license and was authored, remixed, and/or curated by [Eden Francis](#) via [source content](#) that was edited to the style and standards of the LibreTexts platform.

- [2.7: The Periodic Table](#) by Anonymous is licensed [CC BY-NC-SA 3.0](#). Original source: <https://2012books.lardbucket.org/books/introduction-to-chemistry-general-organic-and-biological>.