

CHAPTER OVERVIEW

Chapter 13: Organic Compounds of Oxygen

Ethanol and resveratrol, a phenol, are representatives of two of the families of oxygen-containing compounds that we consider in this chapter. Two other classes, aldehydes and ketones, are formed by the oxidation of alcohols. Ethers, another class, are made by the dehydration of alcohols.

- [13.1: Prelude to Organic Compounds of Oxygen](#)
- [13.2: Organic Compounds with Functional Groups](#)
- [13.3: Alcohols - Nomenclature and Classification](#)
- [13.4: Physical Properties of Alcohols](#)
- [13.5: Reactions that Form Alcohols](#)
- [13.6: Reactions of Alcohols](#)
- [13.7: Glycols and Glycerol](#)
- [13.8: Phenols](#)
- [13.9: Ethers](#)
- [13.10: Aldehydes and Ketones- Structure and Names](#)
- [13.11: Properties of Aldehydes and Ketones](#)
- [13.12: Organic Sulfur Compounds](#)
- [13.E: Organic Compounds of Oxygen \(Exercises\)](#)
- [13.S: Organic Compounds of Oxygen \(Summary\)](#)

[Template:HideTOC](#)

This page titled [Chapter 13: Organic Compounds of Oxygen](#) is shared under a [CC BY-NC-SA 4.0](#) license and was authored, remixed, and/or curated by [Eden Francis](#) via [source content](#) that was edited to the style and standards of the LibreTexts platform.