# 10.42: Variation Method Using the Wigner Function - The Feshbach Potential

Define potential energy:

$$V_0 = 2.5 \quad d = 0.5 \quad V(x) = V_0 tanh\left(\frac{x}{2}\right)^2$$

Display potential energy:

Choose trial wave function:

$$\psi(x, \beta) = \left(\frac{2\beta}{\pi}\right)^{\frac{1}{4}} exp(-\beta x^2)$$

Calculate the Wigner distribution function:

$$W(x, p, \beta) = \frac{1}{2\pi} \int_{-\infty}^{\infty} \psi\left(x + \frac{s}{2}, \beta\right) exp(isp)\psi\left(\left(x - \frac{s}{2}, \beta\right)\right) ds \Bigg|_{assume,\, \beta > 0}^{simplify} \rightarrow \frac{1}{\pi}e^{\frac{-1}{2}\frac{4\beta^2 x^2 + p^2}{\beta}}$$

Evaluate the variational integral:

$$E(\beta) = \int_{-\infty}^{\infty} \int_{-\infty}^{\infty} W(x, p, \beta)\left(\frac{p^2}{2} + V(x)\right) dx \, dp$$

Minimize the energy integral with respect to the variational parameter, β.

$$\beta = 1 \quad \beta = \text{Minimize (E, } \beta) \quad \beta = 0.913 \quad E(\beta) = 1.484$$

Calculate and display the coordinate distribution function:

$$Px(x, \beta) = \int_{-\infty}^{\infty} W(x, p, \beta)dp$$

Classical turning point:

$$V_0 tanh\left(\frac{x}{2}\right)^2 = 1.484 \Bigg|_{float,\, 3}^{solve,\, x} \rightarrow \begin{pmatrix} -.511 \\ .511 \end{pmatrix}$$

Probability that tunneling is occurring:

$$2\int_{0.511}^{\infty} Px(x, \beta)dx = 0.329$$

Calculate and display the momentum distribution function:

$$Pp(p, \beta) = \int_{-\infty}^{\infty} W(x, p, \beta)dx$$

Display the Wigner distribution function:

$$N = 60 \quad i = 0 \ .. \ N \quad x_i = -3 + \frac{6i}{N} \quad j = 0 \ .. \ N \quad p_j = -5 + \frac{10j}{N} \quad \text{Wigner}_{i,\,j} = W(\,x_i,\,p_j,\,\beta)$$

This page titled 10.42: Variation Method Using the Wigner Function - The Feshbach Potential is shared under a CC BY 4.0 license and was authored, remixed, and/or curated by Frank Rioux via source content that was edited to the style and standards of the LibreTexts platform.