

## CHAPTER OVERVIEW

### 1: Preliminary Concepts

A field is the continuum of values of a quantity as a function of position and time. The quantity that the field describes may be a scalar or a vector, and the scalar part may be either real- or complex-valued. In electromagnetics, the electric field intensity  $\mathbf{E}$  is a real-valued vector field that may vary as a function of position and time, and so might be indicated as “ $\mathbf{E}(x, y, z, t)$ ,” “ $\mathbf{E}(\mathbf{r}, t)$ ,” or simply “ $\mathbf{E}$ .” When expressed as a phasor, this quantity is complex-valued but exhibits no time dependence, so we might say instead “ $\tilde{\mathbf{E}}(\mathbf{r})$ ” or simply “ $\tilde{\mathbf{E}}$ .” An example of a scalar field in electromagnetics is the electric potential,  $V$ ; i.e.,  $V(\mathbf{r}, t)$ . A wave is a time-varying field that continues to exist in the absence of the source that created it and is therefore able to transport energy.

- [1.1: What is Electromagnetics?](#)
- [1.2: Electromagnetic Spectrum](#)
- [1.3: Fundamentals of Waves](#)
- [1.4: Guided and Unguided Waves](#)
- [1.5: Phasors](#)
- [1.6: Units](#)
- [1.7: Notation](#)

### Contributors and Attributions

- Ellingson, Steven W. (2018) Electromagnetics, Vol. 1. Blacksburg, VA: VT Publishing. <https://doi.org/10.21061/electromagnetics-vol-1> Licensed with CC BY-SA 4.0 <https://creativecommons.org/licenses/by-sa/4.0>. Report adoption of this book [here](#). If you are a professor reviewing, adopting, or adapting this textbook please help us understand a little more about your use by [filling out this form](#).

---

This page titled [1: Preliminary Concepts](#) is shared under a [CC BY-SA 4.0](#) license and was authored, remixed, and/or curated by [Steven W. Ellingson](#) (Virginia Tech Libraries' Open Education Initiative) .