

## Index

Index to key terms in this eBook; 519 terms, 598 links (last updated 7 December 2023)

R commands used in this book available at [List of R commands](#)

Click on term to take you to chapter and section where the word is first presented; subsequent references are noted by chapter (e.g., Ch08.3 refers to Chapter 8.3).

Note you may need to scroll down on the page to view the word: use browser Find (Ctrl+F or Cmd+F).

---

### — A —

[Absolute risk](#)  
[Absolute risk reduction](#)  
[accuracy](#); Ch08.3  
[Age-adjusted rates](#)  
[Age-specific rates](#)  
[Akaike Information Criterion \(AIC\)](#)  
[allele frequency](#)  
[alpha](#)  
[alpha = 5%](#)  
[alternative hypothesis](#); Ch08.2; Ch08.4; Ch17.0; Ch17.1  
[Among Groups Variation](#)  
[analysis of means](#)  
[analysis of variance \(ANOVA\)](#)  
[ANOVA](#); Ch12.2  
[ANOVA table](#); Ch17.1  
[Anolis lizard](#); Ch15.2  
[antilog](#)  
[anova\(\)](#)  
[ANOVA on ranks](#)  
[Anscombe's quartet](#)  
[aov\(\)](#)  
[ARR](#)  
[assumptions of linear regression](#)  
[assumption, independence](#)  
[assumption, linear](#)  
[assumptions parametric tests](#)  
[ave\(\)](#)

### — B —

[base R](#)  
[Bayes conditional probability](#)  
[Bayes factor](#); Ch08.2  
[Bayesian](#); Ch08.2  
[Bayesian Information Criterion \(BIC\)](#)  
[Bessel's correction](#)  
[best fit line](#)

[bias](#)  
[binary outcome variables](#)  
[binomial](#)  
[Bioconductor](#)  
[Bioinformatics](#)  
[Biostatistics](#)  
[Bonferroni correction](#)  
[bootstrapping](#)  
[box plot](#)  
— C —  
[c\(\)](#); Ch03.2; Ch03.4; Ch12.2  
[cause and effect](#); Ch17.0  
[causation](#)  
[cause and effect](#); Ch17.1  
[census](#); Ch03.3  
[Central Limit Theorem](#)  
[central tendency](#)  
[Chance](#)  
[Chebyshev's inequality](#)  
[Chi-square](#)  
[chisq.test\(\)](#)  
[coefficient of determination](#)  
[Coefficient of variation](#)  
[coefficients](#)  
[cholera](#)  
[Chromebook](#)  
[citation bias](#)  
[classical frequentist](#)  
[CoCalc](#)  
[code snippets](#)  
[coefficient of determination](#)  
[combine, c\(\)](#)  
[cloud computing](#)  
[Colaboratory](#)  
[collinearity](#)  
[command-line interface](#)  
[compiled language](#)  
[completely randomized experimental design](#)  
[confidence interval regression line](#)  
[confounding variable](#)  
[conda](#)  
[conditional probability](#)  
[confidence interval](#)  
[confounding variable](#)  
[confidence interval for a sample mean](#)  
[constants](#)  
[contingency table](#)  
[convenience sampling](#)  
[CRD](#)  
[contingency table](#); Ch09.0  
[Cook's distance](#)

[correlation](#); Ch17.0; Ch17.1  
[covariate](#)  
[covary](#)  
[CRAN mirror](#)  
[cranlogs](#)  
[critical value](#)  
[critical value](#); Ch08.2; Ch08.5; Ch08.6  
— D —  
[data](#) ; Ch03.3  
[data\(\)](#)  
[data analysis](#)  
[data cleaning](#)  
[data exploration](#)  
[data.frame\(\)](#); Ch08.5; Ch12.2  
[data mining](#)  
[data processing](#); Ch02.2; Ch03.1  
[data sets](#)  
[Data set CO2 Mauna Loa](#)  
[data set diabetic](#)  
[Data set GaltonFamilies](#)  
[data set pipette](#)  
[data set Rhinella marina body mass](#)  
[Data scientist](#)  
[data transformation](#)  
[data types](#); Ch03.4  
[datum](#)  
[deciles](#); Ch08.6  
[degrees of freedom](#); Ch08.1; Ch08.2; Ch08.6; Ch09.1  
[degrees of freedom, one-way ANOVA](#)  
[degrees of freedom, one-sample t](#)  
[dependent](#)  
[dependent variable](#)  
[Dependent variables](#); Ch17.0  
[descriptive epidemiology](#)  
[descriptive statistics](#); Ch03.0  
[deviate](#)  
[Diagnosis](#)  
[diagnostic test](#)  
[discrete](#)  
[distribution-free tests](#)  
[Dotplot\(\)](#)  
[dplyr\(\)](#)  
[dropdown menus](#)  
[Dunnett's test](#)  
— E —  
[eBook](#)  
[effect size](#); Ch08.5  
[empirical rule](#)  
[epidemiology](#); Ch02.3  
[epiR](#)  
[epiR\\_descriptive](#)

error sums of squares  
error variance  
Estimate  
estimation  
Euler's number  
Eugenics  
Event; Ch07.1  
evidence  
exp()  
expected values  
experimental units  
experiment-wise error rate  
extrapolate

— F —

F statistic  
factor levels  
factors  
Fagan nomogram  
family-wise error rate  
Fisherian approach  
frequentist; Ch08.1  
Frequentists' approach  
full model  
FUN

— G —

gecko; Ch15.2  
general linear model; Ch17.1; Ch18;  
Ch18.1  
geomean() MS Excel  
geometric mean  
geosd()  
goodness of fit  
gof  
Goodness of fit (GOF); Ch09.1  
Google Sheets  
grand mean  
Greek letters  
GUI

— H —

haphazard sampling  
Hardy-Weinberg  
harmean() MS Excel  
harmonic mean  
Hazard  
head()  
health disparities  
help()  
HistData package  
histogram; Ch03.3  
Holm method  
Holm-Bonferroni method  
homework

— I —

id number  
incidence; Ch07.2  
incidence rate  
independent  
independent variable; Ch12.2; Ch17.0  
index variable  
individual-wise comparison  
inference, statistical; Ch07.0; Ch08.4  
inferential statistics  
interpreted language  
Install R Commander  
interquartile range  
interpolate  
interval; Ch03.4  
Interquartile range  
IQR  
IR

— J —

justify alpha

— K —

Kruskal-Wallis test.  
kruskal.test()

— L —

LaTeX; Ch01.1  
Law of Large Numbers  
learning curve, statistics software  
left-skewed  
levels  
leverage  
LibreOffice Calc  
Likelihood; Ch08.1; Ch08.2  
likelihood function  
likelihood ratio test  
likelihood value  
Likert scale  
linear models  
linear regression; Ch17.1  
lm()  
logarithm, base 2  
logarithm, base 10  
logarithm, natural  
log-transform  
log()  
logistic functions  
logistic regression  
lower limit

— M —

machine learning  
mad()  
Mann-Whitney test  
magnitude, order of  
margin of error

Markup

max()  
mean; Ch03.2  
mean deviation  
mean(); Ch03.2  
mean, population  
mean, sample  
Mean square error  
Mean squares  
Mean squares among groups  
measured; Ch03.4  
means, other kinds  
measurement units  
measurement variable  
measures of dispersion  
median  
median ranks  
Mendelian genetics  
Microsoft Excel  
MDI (Multiple Document Interface)  
Mike's Workbook for Biostatistics  
mode  
model  
model estimates  
modeest package  
Monte Carlo methods  
multicollinearity; Ch17.1; Ch18; Ch18.1  
multiple comparison problem  
multiple comparisons  
multiple linear regression  
multiplicity problem  
multivariate statistics

— N —

names()  
namespaces  
natural logarithm  
netative log p-value (logP)  
Negative predictive value  
NHST; Ch15.1  
NNT  
nominal data type; Ch09.1  
nonparametric tests  
normal probability distribution  
normal probability table  
Normal Q-Q  
normal distribution; Ch08.5; Ch08.6  
normal table  
normalize scores  
NPV  
Null hypothesis; Ch08.1; Ch08.2;  
Ch08.4; Ch08.5; Ch09.1; Ch15.1; Ch15.2  
Null Hypothesis Significance Testing;  
Ch08.3  
Number needed to treat

## — O —

observations  
Occam's razor  
ODBC  
Odds  
Odds ratio  
one sample t-test  
one sample tests  
one-tailed test  
One way ANOVA  
operators  
order of magnitude  
ordinal data type  
Ordinary Least Squares (OLS)  
outliers  
ordinal outcome variables  
outcome variable  
Output window

## — P —

P-value; Ch08.1; Ch08.2; Ch08.4;  
Ch09.1; Ch12.2  
p-value threshold  
p-value, exact  
pairwise comparisons; Ch12.2  
pandoc  
parameter; Ch03.4; Ch08.3; Ch08.6  
Parameters, estimating  
parametric statistics  
parametric test; Ch15.0  
partial regression slopes  
pch  
pchisq()  
Per capita rate  
percentiles  
permutation test  
Person-time  
plot.ly  
plot()  
plugin  
pnorm()  
point characters  
point  
population  
population descriptive statistics  
population mean  
population standard deviation  
population variance  
Positive predictive value  
post-hoc tests  
Posttest probability  
power of the test  
pnormGC()  
posterior probability  
PPV

precision; Ch08.3  
Pretest probability  
Prevalence  
Prevalence rate  
prevalence, 95% CI of  
prior probability  
Probability  
probability distribution; Ch08.3  
probability value  
Prognosis  
pseudoreplication  
psych package

## — Q —

qchisq()  
qt(); Ch08.6  
qualitative data types  
quantile()  
quantiles  
quantiles, t  
quantitative data types  
quartiles; Ch08.6

## — R —

R; Ch02.2  
R Commander; Ch01.1; Ch02.2  
R<sup>2</sup>  
R-squared  
random error  
random normal distribution  
random sampling  
random variables  
range  
range()  
rank()  
ratio  
ratio scale data type  
raw data  
Rcmdr  
Rcmdr, Improve experience  
Rcmdr: Wilcoxon test  
RcmdrMisc  
R history  
R Markdown  
R prompt; Ch02.2  
R statistical language  
R tutorials  
Random  
random sampling  
regions of the curve  
Relative risk  
Relative risk reduction  
require()  
Resampling  
residuals  
residuals vs. fitted

residuals vs. leverage  
residuals vs. predicted  
response variable; Ch12.2  
right-skewed  
risk analysis; Ch07.1  
risk difference  
robust estimator  
Roman letters  
round()  
RRR  
Rstudio

## — S —

sample descriptive statistics  
sample frequency distribution  
sample mean; Ch08.5  
sample standard deviation; Ch03.3  
sample statistic  
sample variables  
Sample variance  
samples  
sampling, convenience  
sampling distribution  
sampling error  
sampling, haphazard  
sampling, random  
saturated model  
scale-location  
scan()  
script file  
Script window; Ch02.2  
sd()  
SEM; Ch08.5  
SDI (Single Document Interface)  
Significance codes  
significant figures  
Single Factor ANOVA  
slope  
Snow, John  
stack()  
stacked worksheet  
standard deviation  
standard deviation, sample; Ch03.3  
standard deviation, population  
standard error of the estimate  
standard deviation of the geometric mean  
Standard error of the mean  
standard error of the sample mean  
standardize  
standard normal probability table  
Statistic  
Statistical bias; Ch03.4  
statistical inference; Ch08.4  
Statistical power  
statistical reasoning

statistical thinking  
statistical power of the test  
statistical significance  
statistical significance level  
Statistics  
structural collinearity  
Student's t-test  
sum of squares  
summary()  
summary statistics  
sums of squares  
survival analysis  
systematic error

— T —

t distribution; Ch08.6  
t quantiles  
table()  
tablet  
T-test  
t.test()  
tapply()  
tails of the distribution  
test statistic; Ch08.1; Ch08.2; Ch09.1;

Ch12.2  
Therapy  
tigerstats  
tolerance  
total variability  
trimmed mean; Ch03.3  
true value  
truncated mean  
Tukey's  
Tukey's range test  
two sample tests  
two sample Wilcoxon test  
two-tailed test; Ch08.1; Ch08.2; Ch08.6;  
Ch15.2  
Type I error rate; Type I error; Ch12.2  
Type I error rate; Ch15.0; Ch15.1  
Type II error; Ch08.1

— U —

unbiased estimator; Ch03.4  
uncode  
unstacked worksheet  
unstandardize  
upper limit

— V —

variability  
variables; Ch08.3  
variance, population  
variance, sample  
VIF

— W —

Weighted arithmetic mean  
Welch F-test  
Wilcoxon rank sum test  
Wilcoxon test statistic (W)  
Wilcoxon test, two sample  
with()  
winsorized mean; Ch03.3  
Winsorized variance  
Within Group Variation  
Workbook for Biostatistics, Mike's  
working directory

— X-Y-Z —

xkcd comic; Ch07.0  
XQuartz  
Y-intercept; Ch18.1  
Z-score ; Ch08.5