

7.7: Chapter 7 References and Suggested Readings

- Accad, M., & Francis, D. (2018). Does evidence based medicine adversely affect clinical judgment?. *BMJ: British Medical Journal (Online)*, 362.
- Agresti, A., Coull, B. A. (1998). Approximate Is Better than “Exact” for Interval Estimation of Binomial Proportions. *The American Statistician*, 52:119-126.
- Altman, D. G. (1998). Confidence intervals for the number needed to treat. *BMJ*, 317(7168), 1309-1312.
- Bender, R. (2001). Calculating confidence intervals for the number needed to treat. *Controlled clinical trials*, 22(2), 102-110.
- Berry, D. A. (2008). The science of doping. *Nature* 454(7205):692-3.
- Bewick, V., Cheek, L., Ball, J. (2003). Statistics review 8: Qualitative data – tests of association. *Critical Care*, 8:46-53.
- Carling, C. L. L., Kristoffersen, D. T., Montori, V. M., Herrin, J., Schünemann, H. J., Treweek, S., Akl, E. A., Oxman, A. D. (2009). The Effect of Alternative Summary Statistics for Communicating Risk Reduction on Decisions about Taking Statins: A Randomized Trial. *PLoS Medicine*, 6(8): e1000134
- Davies, H. T., Crombie, I. K., Tavakoli, M. (1998). When can odds ratios mislead? *BMJ*, 316: 989-991
- Decker, R. C. (2008). *A brief review of the basic principles of epidemiology, Chapter 2 in Field Epidemiology*, 3rd edition, Gregg MB editor. Oxford University Press
- de Vrieze, Jop. (2018) The metawars. *Science* 361: 1184-1188.
- Fisher, G., Hunter, G. R., Gower, B. A. (2012). Aerobic exercise training conserves insulin sensitivity for 1 yr following weight loss in overweight women. *J. Appl. Physiol.*, 112, 688-693.
- Galinsky, A. M., Zelaya, C. E., Barnes, P. M., & Simile, C. (2022). Selected health conditions among native Hawaiian and Pacific Islander adults: United States, 2014. *Cancer*, 23, 2.
- Gerstman, B. B. (2014). *Basic biostatistics: Statistics for public health practice*, 2nd ed. Jones & Bartlett Learning.
- Gigerenzer, G. (2002). *Calculated Risks: How to Know When Numbers Deceive You*. Simon & Schuster.
- Gray, M. W. (2002). Cramming for court: teaching statistics to litigators. ICOTS6: The Sixth International Conference on Teaching Statistics.
- Hastings, D/. (2003). The Challenger Disaster. <https://ocw.mit.edu/courses/engineering-systems-division/esd-10-introduction-to-technology-and-policy-fall-2006/readings/challenger.pdf>.
- Johnson, K. M. (2017). Using Bayes’ rule in diagnostic testing: a graphical explanation. *Diagnosis*, 4(3), 159-167.
- Krebs, J. R. (2014). Risk, uncertainty and regulation. *Philosophical Transactions. Series a, Mathematical, Physical, and Engineering Sciences*. 369: 4842-52. PMID 22042900 DOI: 10.1098/rsta.2011.0174
- Leucuta, D. C., Călinici, T., Drugan, T., Istrate, D., & Achimas, A. (2014). Graphical User Interface Extension in R Commander for Evidence Based Medicine Indicators. *Applied Medical Informatics.*, 35(3), 11-16.
- LIPID Study Group (1998). Prevention of Cardiovascular Events and Death with Pravastatin in Patients with Coronary Heart Disease and a Broad Range of Initial Cholesterol Levels. *NEJM*, 339:1349-1357.
- Masic, I., Miokovic, M., & Muhamedagic, B. (2008). Evidence based medicine–new approaches and challenges. *Acta Informatica Medica*, 16(4), 219.
- Maugh, T.H., II. (1995, November 16). Anti-Cholesterol Drug Cuts Heart Attacks, Study Shows : Health: Pravastatin reduced risks for healthy men, research finds. Experts predict new era in prevention. Los Angeles Times, Retrieved from <https://www.latimes.com/archives/la-...794-story.html>.
- Park, D. I., Ryu, S., Kim, Y. H., Lee, S. H., Lee, C. K., Eun, C. S., & Han, D. S. (2010). Comparison of guaiac-based and quantitative immunochemical fecal occult blood testing in a population at average risk undergoing colorectal cancer screening. *American Journal of Gastroenterology*, 105(9), 2017-2025.

- Parikh, R., Parikh, S., Arun, E., Thomas, R. (2009). Likelihood ratios: Clinical application in day-to-day practice. *Indian Journal of Ophthalmology* 57(3): 217–221.
- Rice, B., Janssen, I., Hudson, R., Ross, R. (1999). Effects of aerobic or resistance exercise and/or diet on glucose tolerance and plasma insulin levels in obese men. *Diabetes Care* 22:684-691
- Schechtman, E. (2002). Odds ratio, relative risk, absolute risk reduction, and the number needed to treat—which of these should we use?. *Value in health*, 5(5), 431-436.
- Sibbald, B., & Roland, M. (1998). Understanding controlled trials. Why are randomised controlled trials important? *BMJ* 316(7126), 201.
- Skolbekken, J. A. (1998). Communicating the risk reduction achieved by cholesterol reducing drugs. *BMJ*, 316(7149), 1956-1958.
- Smits, N. (2010). A note on Youden's J and its cost ratio. *BMC medical research methodology*, 10(1), 1-4.
- Sylvester, R. J., Canfield, S. E., Lam, T. B., Marconi, L., MacLennan, S., Yuan, Y., ... & Hernandez, V. (2017). Conflict of evidence: resolving discrepancies when findings from randomized controlled trials and meta-analyses disagree. *European urology*, 71(5), 811-819.
- Tamhane, A. R., Westfall, A. O., Burkholder, G. A., & Cutter, G. R. (2016). Prevalence odds ratio versus prevalence ratio: choice comes with consequences. *Statistics in medicine*, 35(30), 5730-5735.
- US Department of Health and Human Services. (2013). *Principles of Epidemiology in Public Health Practice, Third Edition: An Introduction to Applied Epidemiology and Biostatistics*. Atlanta, Georgia, USA. Available on the website: <http://www.cdc.gov/opphss/csels/dsepd/SS1978>.
- Youden, W. J. (1950). Index for rating diagnostic tests. *Cancer*, 3(1), 32-35.

This page titled [7.7: Chapter 7 References and Suggested Readings](#) is shared under a [CC BY-NC-SA 4.0](#) license and was authored, remixed, and/or curated by [Michael R Dohm](#) via [source content](#) that was edited to the style and standards of the LibreTexts platform.