


## 10.9: Gibbs Energy and Reactions

Entropy and enthalpy are two of the basic factors of thermodynamics. Enthalpy has something to do with the energetic content of a system or a molecule. Entropy has something to do with how that energy is stored.


- **A reaction is favored if enthalpy decreases:** There is a bias in nature toward decreasing enthalpy in a system. Reactions can happen when enthalpy is transferred to the surroundings.
- **A reaction is favored if entropy increases:** There is also a bias in nature toward increasing entropy in a system. Reactions can happen when entropy increases.

Consider the cartoon reaction below. Red squares are being converted to green circles, provided the reaction proceeds from left to right as shown.




Whether or not the reaction proceeds to the right depends on the balance between enthalpy and entropy. There are several combinations possible.


In one case, maybe entropy increases when the red squares turn into green circles, and the enthalpy decreases. If we think of the balance between these two factors, we come to a simple conclusion. Both factors tilt the balance of the reaction to the right. In this case, the red squares will be converted into green circles.



Alternatively, maybe entropy decreases when the red squares turn into green circles, and enthalpy increases. If we think of the balance between these two factors, we come to another simple conclusion. Both factors tilt the balance of the reaction to the left. In this case, the red squares will remain just as they are.



Having two factors may lead to complications. For example, what if enthalpy decreases, but so does entropy? Does the reaction happen, or doesn't it? In that case, we may need quantitation to make a decision. How much does the enthalpy decrease? How much does the entropy decrease? If the effect of the enthalpy decrease is greater than that of the entropy decrease, the reaction may still go forward.



The combined effects of enthalpy and entropy are often combined in what is called "free energy." Free energy is just a way to keep track of the sum of the two effects. Mathematically, the symbol for the internal enthalpy change is " $\Delta H$ " and the symbol for the internal entropy change is " $\Delta S$ ." Free energy is symbolized by " $\Delta G$ ," and the relationship is given by the following expression:

$$\Delta G = \Delta H - T\Delta S \quad (10.9.1)$$

$T$  in this expression stands for the temperature (in Kelvin, rather than Celsius or Fahrenheit). The temperature acts as a scaling factor in the expression, putting the entropy and enthalpy on equivalent footing so that their effects can be compared directly.

How do we use free energy? It works the same way we were using enthalpy earlier (that's why the free energy has the same sign as the enthalpy in the mathematical expression, whereas the entropy has an opposite sign). If free energy decreases, the reaction can proceed. If the free energy increases, the reaction can't proceed.

- A reaction is favored if the free energy of the system decreases.
- A reaction is not favored if the free energy of the system increases.

Because free energy takes into consideration both the enthalpy and entropy changes, we don't have to consider anything else to decide if the reaction occurs. Both factors have already been taken into account.

Remember the terms "endothermic" and "exothermic" from our discussion of enthalpy. Exothermic reactions were favored (in which enthalpy decreases). Endothermic ones were not. In free energy terms, we say that exergonic reactions are favored (in which free energy decreases). Endergonic ones (in which free energy increases) are not.


#### Problem TD4.1.

Imagine a reaction in which the effects of enthalpy and entropy are opposite and almost equally balanced, so that there is no preference for whether the reaction proceeds or not. Looking at the expression for free energy, how do you think the situation will change under the following conditions:

1. the temperature is very cold (0.09 K)
2. the temperature is very warm (500 K)


#### Problem TD4.2.

Which of the following reaction profiles describe reactions that will proceed? Which ones describe reactions that will not proceed?



## How Entropy Rules Thermodynamics

Sometimes it is said that entropy governs the universe. As it happens, enthalpy and entropy changes in a reaction are partly related to each other. The reason for this relationship is that if energy is added to or released from the system, it has to be partitioned into new states. Thus, an enthalpy change can also have an effect on entropy.




Specifically, the internal enthalpy change that we discussed earlier has an effect on the entropy of the surroundings. So far, we have just considered internal entropy changes.

- In an exothermic reaction, the external entropy (entropy of the surroundings) increases.
- In an endothermic reaction, the external entropy (entropy of the surroundings) decreases.

Free energy takes into account both the entropy of the system and the entropy changes that arise because of heat exchange with the surroundings. Together, the system and the surroundings are called "the universe". That's because the system is just everything involved in the reaction, and the surroundings are everything that isn't involved in the reaction.

Enthalpy changes in the system lead to additional partitioning of energy. We might visualize that with the mailbox analogy we used for entropy earlier. In this case, each molecule has its own set of mailboxes, into which it sorts incoming energy.



Looked at in this way, thermodynamics boils down to one major consideration, and that is the combined entropy of both the system and its surroundings (together known as the universe).

- For a reaction to proceed, the entropy of the universe must increase.

## Contributors and Attributions

Chris P Schaller, Ph.D., (College of Saint Benedict / Saint John's University)

---

10.9: Gibbs Energy and Reactions is shared under a [CC BY-NC-SA 4.0](#) license and was authored, remixed, and/or curated by LibreTexts.

- [Free Energy Changes in Reactions](#) by Chris Schaller is licensed [CC BY-NC 3.0](#).