


## 6.2: Kinds of Organic Reactions

If you scan any organic textbook you will encounter what appears to be a very large, often intimidating, number of reactions. These are the "tools" of a chemist, and to use these tools effectively, we must organize them in a sensible manner and look for patterns of reactivity that permit us make plausible predictions. Most of these reactions occur at special sites of reactivity known as functional groups, and these constitute one organizational scheme that helps us catalog and remember reactions.


**Ultimately, the best way to achieve proficiency in organic chemistry is to understand how reactions take place, and to recognize the various factors that influence their course.**

First, we identify four broad classes of reactions based solely on the **structural change** occurring in the reactant molecules. This classification does not require knowledge or speculation concerning reaction paths or mechanisms. The four main reaction classes are **additions, eliminations, substitutions, and rearrangements**.




In an **addition** reaction the number of  $\sigma$ -bonds in the substrate molecule increases, usually at the expense of one or more  $\pi$ -bonds. The reverse is true of **elimination** reactions, *i.e.* the number of  $\sigma$ -bonds in the substrate decreases, and new  $\pi$ -bonds are often formed. **Substitution** reactions, as the name implies, are characterized by replacement of an atom or group (Y) by another atom or group (Z). Aside from these groups, the number of bonds does not change. A **rearrangement** reaction generates an isomer, and again the number of bonds normally does not change.

The examples illustrated above involve simple alkyl and alkene systems, but these reaction types are general for most functional groups, including those incorporating carbon-oxygen double bonds and carbon-nitrogen double and triple bonds. Some common reactions may actually be a combination of reaction types. The reaction of an ester with ammonia to give an amide, as shown below, appears to be a substitution reaction (Y = CH<sub>3</sub>O & Z = NH<sub>2</sub>); however, it is actually two reactions, an addition followed by an elimination.



The addition of water to a nitrile does not seem to fit any of the above reaction types, but it is simply a slow addition reaction followed by a rapid rearrangement, as shown in the following equation. Rapid rearrangements of this kind are called **tautomerizations**.



### Contributors

- William Reusch, Professor Emeritus ([Michigan State U.](#)), [Virtual Textbook of Organic Chemistry](#)

6.2: Kinds of Organic Reactions is shared under a [CC BY-NC-SA 4.0](#) license and was authored, remixed, and/or curated by LibreTexts.