

## 5.2: Lewis Electron Dot Diagrams

### Learning Objective


- Draw a Lewis electron dot diagram for an atom or a monatomic ion.

In almost all cases, chemical bonds are formed by interactions of valence electrons in atoms. To facilitate our understanding of how valence electrons interact, a simple way of representing those valence electrons would be useful.

A **Lewis electron dot diagram** (or electron dot diagram, or a Lewis diagram, or a Lewis structure) is a representation of the valence electrons of an atom that uses dots around the symbol of the element. The number of dots equals the number of valence electrons in the atom. These dots are arranged to the right and left and above and below the symbol, with no more than two dots on a side. (The order in which the positions are used does not matter.) For example, the Lewis electron dot diagram for hydrogen is simply



Because the side is not important, the Lewis electron dot diagram could also be drawn as follows:



The electron dot diagram for helium, with two valence electrons, is as follows:



By putting the two electrons together on the same side, we emphasize the fact that these two electrons are both in the 1s subshell; this is the common convention we will adopt, although there will be exceptions later. The next atom, lithium, has an electron configuration of  $1s^2 2s^1$ , so it has only one electron in its valence shell. Its electron dot diagram resembles that of hydrogen, except the symbol for lithium is used:



Beryllium has two valence electrons in its 2s shell, so its electron dot diagram is like that of helium:



The next atom is boron. Its valence electron shell is  $2s^2 2p^1$ , so it has three valence electrons. The third electron will go on another side of the symbol:



Again, it does not matter on which sides of the symbol the electron dots are positioned.

For carbon, there are four valence electrons, two in the 2s subshell and two in the 2p subshell. As usual, we will draw two dots together on one side, to represent the 2s electrons. However, conventionally, we draw the dots for the two p electrons on different sides. As such, the electron dot diagram for carbon is as follows:



With N, which has three p electrons, we put a single dot on each of the three remaining sides:



For oxygen, which has four p electrons, we now have to start doubling up on the dots on one other side of the symbol. When doubling up electrons, make sure that a side has no more than two electrons.



Fluorine and neon have seven and eight dots, respectively:





With the next element, sodium, the process starts over with a single electron because sodium has a single electron in its highest-numbered shell, the  $n = 3$  shell. By going through the periodic table, we see that the Lewis electron dot diagrams of atoms will never have more than eight dots around the atomic symbol.

### ✓ Example 5.2.1

What is the Lewis electron dot diagram for each element?

- aluminum
- selenium

#### Solution

- The valence electron configuration for aluminum is  $3s^23p^1$ . So it would have three dots around the symbol for aluminum, two of them paired to represent the  $3s$  electrons:



- The valence electron configuration for selenium is  $4s^24p^4$ . In the highest-numbered shell, the  $n = 4$  shell, there are six electrons. Its electron dot diagram is as follows:




### ? Exercise 5.2.1

What is the Lewis electron dot diagram for each element?

- phosphorus
- argon



#### Answer



Elements in the same column of the periodic table have similar Lewis electron dot diagrams because they have the same valence shell electron configuration. The electron dot diagrams for the first column of elements are as follows:




Monatomic ions are atoms that have either lost (for cations) or gained (for anions) electrons. Electron dot diagrams for ions are the same as for atoms, except that some electrons have been removed for cations, while some electrons have been added for anions. Thus, in comparing the electron configurations and electron dot diagrams for the Na atom and the  $\text{Na}^+$  ion, we note that the Na atom has a single valence electron in its Lewis diagram, while the  $\text{Na}^+$  ion has lost that one valence electron:



Technically, the valence shell of the  $\text{Na}^+$  ion is now the  $n = 2$  shell, which has eight electrons in it. So why do we not put eight dots around  $\text{Na}^+$ ? Conventionally, when we show electron dot diagrams for ions, we show the original valence shell of the atom, which in this case is the  $n = 3$  shell and empty in the  $\text{Na}^+$  ion.

In making cations, electrons are first lost from the *highest numbered shell*, not necessarily the last subshell filled. For example, in going from the neutral Fe atom to the  $\text{Fe}^{2+}$  ion, the Fe atom loses its two  $4s$  electrons first, not its  $3d$  electrons, despite the fact that the  $3d$  subshell is the last subshell being filled. Thus, we have



Abbreviated Electron configuration :  $[Ar] 4s^2 3d^6$   $[Ar] 3d^6$

Anions have extra electrons when compared to the original atom. Here is a comparison of the Cl atom with the  $Cl^-$  ion:

Lewis dot diagram :  $:\ddot{Cl} \cdot$   $:\ddot{Cl}:^-$

Abbreviated Electron configuration :  $[Ne] 3s^2 3p^5$   $[Ne] 3s^2 3p^6$

### ✓ Example 5.2.2

What is the Lewis electron dot diagram for each ion?

- $Ca^{2+}$
- $O^{2-}$

#### Solution

- Having lost its two original valence electrons, the Lewis electron dot diagram is simply:  $Ca^{2+}$
- The  $O^{2-}$  ion has gained two electrons in its valence shell, so its Lewis electron dot diagram is as follows:



### ? Exercise 5.2.2

The electronic configuration of the aluminum ion is  $[Ne]$ . What is the Lewis electron dot diagram for the aluminum ion?

#### Answer



## Summary

- Lewis electron dot diagrams use dots to represent valence electrons around an atomic symbol.
- Lewis electron dot diagrams for ions have less (for cations) or more (for anions) dots than the corresponding atom.

This page titled [5.2: Lewis Electron Dot Diagrams](#) is shared under a [CC BY-NC-SA 3.0](#) license and was authored, remixed, and/or curated by [Theodore Chan](#) via [source content](#) that was edited to the style and standards of the LibreTexts platform.

- 9.2: Lewis Electron Dot Diagrams** by Anonymous is licensed [CC BY-NC-SA 3.0](#). Original source: <https://2012books.lardbucket.org/books/beginning-chemistry>.