

3.6: Formula Mass

Learning Objectives

- To determine the formula mass of an ionic compound.

One skill needed in future chapters is the ability to determine the mass of the formula of an ionic compound. This quantity is called the formula mass. The formula mass is obtained by adding the masses of each individual atom in the formula of the compound. Because a proper formula is electrically neutral (with no net electrons gained or lost), the ions can be considered atoms for the purpose of calculating the formula mass.

Let us start by calculating the formula mass of sodium chloride (NaCl). This formula mass is the sum of the atomic masses of one sodium atom and one chlorine atom, which we find from the periodic table; here, we use the masses to two decimal places:

Table shows how to calculate the formula mass of sodium chloride by using their atomic masses.

Na:	22.99 amu
Cl:	+ 35.45 amu
Total:	58.44 amu

To two decimal places, the formula mass of NaCl is 58.44 amu.

When an ionic compound has more than one anion or cation, you must remember to use the proper multiple of the atomic mass for the element in question. For the formula mass of calcium fluoride (CaF₂), we must multiply the mass of the fluorine atom by 2 to account for the two fluorine atoms in the chemical formula:

Table shows how to find the formula mass of calcium fluoride by using their atomic masses.

Ca:	1×40.08	40.08 amu
F:	$2 \times 19.00 =$	+ 38.00 amu
Total:		78.08 amu

The formula mass of CaF₂ is 78.08 amu.

For ionic compounds with polyatomic ions, the sum must include the number and mass of each atom in the formula for the polyatomic ion. For example, potassium nitrate (KNO₃) has one potassium atom, one nitrogen atom, and three oxygen atoms:

Table shows how to find the formula mass of potassium nitrate by using their atomic masses.

K:	1×39.10	39.10 amu
N:	1×14.01	+ 14.01 amu
O:	$3 \times 16.00 =$	+ 48.00 amu
Total:		101.11 amu

The formula mass of KNO₃ is 101.11 amu.

Potassium nitrate is a key ingredient in gunpowder and has been used clinically as a diuretic.

When a formula contains more than one polyatomic unit in the chemical formula, as in Ca(NO₃)₂, do not forget to multiply the atomic mass of every atom inside the parentheses by the subscript outside the parentheses. This is necessary because the subscript refers to the *entire polyatomic ion*. Thus, for Ca(NO₃)₂, the subscript 2 implies two complete nitrate ions, so we must sum the masses of two (1 × 2) nitrogen atoms and six (3 × 2) oxygen atoms, along with the mass of a single calcium atom:

Table shows how to find the formula mass of Ca(NO₃)₂ by using their atomic masses.

Ca:	1×40.08	40.08 amu
N:	$2 \times 14.01 =$	+ 28.02 amu
O:	$6 \times 16.00 =$	+ 96.00 amu
Total:		164.10 amu

The key to calculating the formula mass of an ionic compound is to correctly count each atom in the formula and multiply the atomic masses of its atoms accordingly.

The Periodic Table is found in this link: [Periodic Table of Elements with Atomic Mass](https://pubchem.ncbi.nlm.nih.gov) [pubchem.ncbi.nlm.nih.gov]

✓ Example 3.6.1

Use the atomic masses (**rounded to two decimal places**) from the **Periodic Table** to determine the formula mass for each ionic compound.

- FeCl_3
- $(\text{NH}_4)_3\text{PO}_4$

Solution

a.

Table shows how to find the formula mass of FeCl_3 by using their atomic masses.

Fe:		55.84 amu
Cl:	$3 \times 35.45 =$	+ 106.35 amu
Total:		162.19 amu

The formula mass of FeCl_3 is 162.19 amu.

- When we distribute the subscript 3 through the parentheses containing the formula for the ammonium ion, we see that we have 3 nitrogen atoms and 12 hydrogen atoms. Thus, we set up the sum as follows:

Table shows how to find the formula mass of $(\text{NH}_4)_3\text{PO}_4$ by using their atomic masses.

N:	$3 \times 14.01 =$	42.03 amu
H:	$12 \times 1.01 =$	+ 12.12 amu
P:		+ 30.97 amu
O:	$4 \times 16.00 =$	+ 64.00 amu
Total:		149.12 amu

The formula mass for $(\text{NH}_4)_3\text{PO}_4$ is 149.12 amu.

? Exercise 3.6.1

Use the atomic masses (**rounded to two decimal places**) from the **Periodic Table** to determine the formula mass for each ionic compound.

- TiO_2
- AgBr
- $\text{Au}(\text{NO}_3)_3$
- $\text{Fe}_3(\text{PO}_4)_2$

Answer a:

$$47.87 + 2(16.00) = 79.87 \text{ amu}$$

Answer b:

$$107.87 + 79.90 = 187.77 \text{ amu}$$

Answer c:

$$196.97 + 3(14.01) + 9(16.00) = 383.00 \text{ amu}$$

Answer d:

$$3(55.84) + 2(30.97) + 8(16.00) = 357.46 \text{ amu}$$

📌 To Your Health: Hydrates

Some ionic compounds have water (H_2O) incorporated within their formula unit. These compounds, called *hydrates*, have a characteristic number of water units associated with each formula unit of the compound. Hydrates are solids, not liquids or solutions, despite the water they contain.

To write the chemical formula of a hydrate, write the number of water units per formula unit of compound after its chemical formula. The two chemical formulas are separated by a vertically centered dot. The hydrate of copper(II) sulfate has five water units associated with each formula unit, so it is written as $\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$. The name of this compound is copper(II) sulfate pentahydrate, with the *penta-* prefix indicating the presence of five water units per formula unit of copper(II) sulfate.



Magnesium sulfate heptahydrate. (Public Domain; [Chemicalinterest](#)).

Hydrates have various uses in the health industry. Calcium sulfate hemihydrate ($\text{CaSO}_4 \cdot \frac{1}{2}\text{H}_2\text{O}$), known as plaster of Paris, is used to make casts for broken bones. Epsom salt ($\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$) is used as a bathing salt and a laxative. Aluminum chloride hexahydrate is an active ingredient in antiperspirants. The accompanying table lists some useful hydrates.

Table 3.6.1: Names and Formulas of Some Widely Used Hydrates

Formula	Name	Uses
$\text{AlCl}_3 \cdot 6\text{H}_2\text{O}$	aluminum chloride hexahydrate	antiperspirant
$\text{CaSO}_4 \cdot \frac{1}{2}\text{H}_2\text{O}$	calcium sulfate hemihydrate (plaster of Paris)	casts (for broken bones and castings)
$\text{CaSO}_4 \cdot 2\text{H}_2\text{O}$	calcium sulfate dihydrate (gypsum)	drywall component
$\text{CoCl}_2 \cdot 6\text{H}_2\text{O}$	cobalt(II) chloride hexahydrate	drying agent, humidity indicator
$\text{CuSO}_4 \cdot 5\text{H}_2\text{O}$	copper(II) sulfate pentahydrate	fungicide, algicide, herbicide
$\text{MgSO}_4 \cdot 7\text{H}_2\text{O}$	magnesium sulfate heptahydrate (Epsom salts)	laxative, bathing salt
$\text{Na}_2\text{CO}_3 \cdot 10\text{H}_2\text{O}$	sodium carbonate decahydrate (washing soda)	laundry additive/cleaner

KEY
TAKEAWAY

KEY TAKEAWAY

- Formula masses of ionic compounds can be determined from the masses of the atoms in their formulas.

EXERCISES

1. What is the relationship between atomic mass and formula mass?
2. How are subscripts used to determine a formula mass when more than one polyatomic ion is present in a chemical formula?
3. What is the formula mass for the ionic compound formed by each pair of ions?
 - a. Na^+ and Br^-
 - b. Mg^{2+} and Br^-
 - c. Mg^{2+} and S^{2-}
4. What is the formula mass for the ionic compound formed by each pair of ions?
 - a. K^+ and Cl^-
 - b. Mg^{2+} and Cl^-
 - c. Mg^{2+} and Se^{2-}
5. What is the formula mass for the ionic compound formed by each pair of ions?
 - a. Na^+ and N^{3-}
 - b. Mg^{2+} and N^{3-}
 - c. Al^{3+} and S^{2-}
6. What is the formula mass for the ionic compound formed by each pair of ions?
 - a. Li^+ and N^{3-}
 - b. Mg^{2+} and P^{3-}
 - c. Li^+ and P^{3-}
7. What is the formula mass for each compound?
 - a. FeBr_3
 - b. FeBr_2
 - c. Au_2S_3
 - d. Au_2S
8. What is the formula mass for each compound?
 - a. Cr_2O_3
 - b. CrO
 - c. PbCl_2
 - d. PbCl_4
9. What is the formula mass for each compound?
 - a. $\text{Cr}(\text{NO}_3)_3$
 - b. $\text{Fe}_3(\text{PO}_4)_2$
 - c. CaCrO_4
 - d. $\text{Al}(\text{OH})_3$
10. What is the formula mass for each compound?
 - a. NH_4NO_3
 - b. $\text{K}_2\text{Cr}_2\text{O}_7$
 - c. Cu_2CO_3
 - d. NaHCO_3
11. What is the formula mass for each compound?
 - a. $\text{Al}(\text{HSO}_4)_3$
 - b. $\text{Mg}(\text{HSO}_4)_2$

12. What is the formula mass for each compound?

- a. $\text{Co}(\text{HCO}_3)_2$
- b. LiHCO_3

Answers

1. The formula mass is the sum of the atomic masses of the atoms in the formula.
2. The subscript is distributed throughout the parentheses to determine the total number of atoms in the formula.
3.
 - a. 102.89 amu
 - b. 184.11 amu
 - c. 56.38 amu
4.
 - a. 74.55 amu
 - b. 95.21 amu
 - c. 103.28 amu
5.
 - a. 82.98 amu
 - b. 100.95 amu
 - c. 150.17 amu
6.
 - a. 35.01 amu
 - b. 134.87 amu
 - c. 51.79 amu
7.
 - a. 295.55 amu
 - b. 215.65 amu
 - c. 490.15 amu
 - d. 426.01 amu
8.
 - a. 152.00 amu
 - b. 68.00 amu
 - c. 278.10 amu
 - d. 349.00 amu
9.
 - a. 238.03 amu
 - b. 357.49 amu
 - c. 156.08 amu
 - d. 78.01 amu
10.
 - a. 80.06 amu
 - b. 294.20 amu
 - c. 187.11 amu
 - d. 84.01 amu
11.
 - a. 318.22 amu

b. 218.47 amu

12.

a. 180.97 amu

b. 67.96 amu

This page titled [3.6: Formula Mass](#) is shared under a [CC BY-NC-SA 4.0](#) license and was authored, remixed, and/or curated by [Eden Francis](#) via [source content](#) that was edited to the style and standards of the LibreTexts platform.

- [3.5: Formula Mass](#) by Anonymous is licensed [CC BY-NC-SA 3.0](#). Original source: <https://2012books.lardbucket.org/books/introduction-to-chemistry-general-organic-and-biological>.