

## 1.1: ATOMIC STRUCTURE - THE NUCLEUS

### OBJECTIVE

After completing this section, you should be able to describe the basic structure of the atom.

### KEY TERMS


Make certain that you can define, and use in context, the key terms below.

- atomic number
- atomic weight
- electron
- mass number
- neutron
- proton

### THE NUCLEAR ATOM

The precise physical nature of atoms finally emerged from a series of elegant experiments carried out between 1895 and 1915. The most notable of these achievements was Ernest Rutherford's famous 1911 alpha-ray scattering experiment, which established that:

- Almost all of the *mass* of an atom is contained within a tiny (and therefore extremely dense) *nucleus* which carries a positive electric charge whose value identifies each element and is known as the *atomic number* of the element.
- Almost all of the *volume* of an atom consists of empty space in which *electrons*, the fundamental carriers of negative electric charge, reside. The extremely small mass of the electron ( $1/1840^{\text{th}}$  the mass of the hydrogen nucleus) causes it to behave as a quantum particle, which means that its location at any moment cannot be specified; the best we can do is describe its behavior in terms of the probability of its manifesting itself at any point in space. It is common (but somewhat misleading) to describe the volume of space in which the electrons of an atom have a significant probability of being found as the *electron cloud*. The latter has no definite outer boundary, so neither does the atom. The radius of an atom must be defined arbitrarily, such as the boundary in which the electron can be found with 95% probability. Atomic radii are typically 30-300 pm.



The nucleus is itself composed of two kinds of particles. *Protons* are the carriers of positive electric charge in the nucleus; the proton charge is exactly the same as the electron charge, but of opposite sign. This means that in any [electrically neutral] atom, the number of protons in the nucleus (often referred to as the *nuclear charge*) is balanced by the same number of electrons outside the nucleus. The other nuclear particle is the *neutron*. As its name implies, this particle carries no electrical charge. Its mass is almost the same as that of the proton. Most nuclei contain roughly equal numbers of neutrons and protons, so we can say that these two particles together account for almost all the mass of the atom.

*Because the electrons of an atom are in contact with the outside world, it is possible for one or more electrons to be lost, or some new ones to be added. The resulting electrically-charged atom is called an ion.*

### ATOMIC NUMBER (Z)

What single parameter uniquely characterizes the atom of a given element? It is not the atom's relative mass, as we will see in the section on isotopes below. It is, rather, the number of protons in the nucleus, which we call the *atomic number* and denote by the symbol  $Z$ . Each proton carries an electric charge of  $+1$ , so the atomic number also specifies the electric charge of the nucleus. In the neutral atom, the  $Z$  protons within the nucleus are balanced by  $Z$  electrons outside it.



*Atomic numbers were first worked out in 1913 by Henry Moseley, a young member of Rutherford's research group in Manchester.*

Moseley searched for a measurable property of each element that increases linearly with atomic number. He found this in a class of X-rays emitted by an element when it is bombarded with electrons. The frequencies of these X-rays are unique to each element, and they increase uniformly in successive elements. Moseley found that the square roots of these frequencies give a straight line when plotted against  $Z$ ; this enabled him to sort the elements in order of increasing atomic number.

You can think of the atomic number as a kind of serial number of an element, commencing at 1 for hydrogen and increasing by one for each successive element. The chemical name of the element and its symbol are uniquely tied to the atomic number; thus the symbol "Sr" stands for strontium, whose atoms all have  $Z = 38$ .

### MASS NUMBER (A)

The *mass number* equals the sum of the numbers of protons and the number of neutrons in the nucleus. It is sometimes represented by the symbol  $A$ , so

$$A = Z + N$$

in which  $Z$  is the atomic number and  $N$  is the *neutron number*.

### ELEMENTS

To date, about 115 different elements have been discovered; by definition, each is chemically unique. To understand why they are unique, you need to understand the structure of the atom (the fundamental, individual particle of an element) and the characteristics of its components. Atoms consist of electrons, protons, and neutrons. Although this is an oversimplification that ignores the other subatomic particles that have been discovered, it is sufficient for discussion of chemical principles. Some properties of these subatomic particles are summarized in Table 1.1.1, which illustrates three important points:

1. Electrons and protons have electrical charges that are identical in magnitude but opposite in sign. Relative charges of  $-1$  and  $+1$  are assigned to the electron and proton, respectively.
2. Neutrons have approximately the same mass as protons but no charge. They are electrically neutral.
3. The mass of a proton or a neutron is about 1836 times greater than the mass of an electron. Protons and neutrons constitute the bulk of the mass of atoms.

The discovery of the electron and the proton was crucial to the development of the modern model of the atom and provides an excellent case study in the application of the scientific method. In fact, the elucidation of the atom's structure is one of the greatest detective stories in the history of science.

Table 1.1.1: Properties of Subatomic Particles\*

Particle	Mass (g)	Atomic Mass (amu)	Electrical Charge (coulombs)	Relative Charge
electron	$9.109 \times 10^{-28}$	0.0005486	$-1.602 \times 10^{-19}$	$-1$
proton	$1.673 \times 10^{-24}$	1.007276	$+1.602 \times 10^{-19}$	$+1$
neutron	$1.675 \times 10^{-24}$	1.008665	0	0

In most cases, the symbols for the elements are derived directly from each element's name, such as C for carbon, U for uranium, Ca for calcium, and Po for polonium. Elements have also been named for their properties [such as radium (Ra) for its radioactivity], for the native country of the scientist(s) who discovered them [polonium (Po) for Poland], for eminent scientists [curium (Cm) for the Curies], for gods and goddesses [selenium (Se) for the Greek goddess of the moon, Selene], and for other poetic or historical reasons. Some of the symbols used for elements that have been known since antiquity are derived from historical names that are no longer in use; only the symbols remain to indicate their origin. Examples are Fe for iron, from the Latin *ferrum*; Na for sodium, from the Latin *natrium*; and W for tungsten, from the German *wolfram*. Examples are in Table 1.1.2.

Table 1.1.2: Element Symbols Based on Names No Longer in Use

Element	Symbol	Derivation	Meaning
antimony	Sb	stibium	Latin for "mark"
copper	Cu	cuprum	from Cyprium, Latin name for the island of Cyprus, the major source of copper ore in the Roman Empire
gold	Au	aurum	Latin for "gold"
iron	Fe	ferrum	Latin for "iron"
lead	Pb	plumbum	Latin for "heavy"
mercury	Hg	hydrargyrum	Latin for "liquid silver"
potassium	K	kalium	from the Arabic al-qili, "alkali"
silver	Ag	argentum	Latin for "silver"
sodium	Na	natrium	Latin for "sodium"
tin	Sn	stannum	Latin for "tin"
tungsten	W	wolfram	German for "wolf stone" because it interfered with the smelting of tin and was thought to devour the tin

Recall that the nuclei of most atoms contain neutrons as well as protons. Unlike protons, the number of neutrons is not absolutely fixed for most elements. Atoms that have the same number of protons, and hence the same atomic number, but different numbers of neutrons are called isotopes. All isotopes of an element have the same number of protons and electrons, which means they exhibit the same chemistry. The isotopes of an element differ only in their atomic mass, which is given by the mass number ( $A$ ), the sum of the numbers of protons and neutrons.

### CARBON ISOTOPES

The element carbon ( $C$ ) has an atomic number of 6, which means that all neutral carbon atoms contain 6 protons and 6 electrons. In a typical sample of carbon-containing material, 98.89% of the carbon atoms also contain 6 neutrons, so each has a mass number of 12. An isotope of any element can be uniquely represented as  ${}_Z^AX$ , where  $X$  is the atomic symbol of the element. The isotope of carbon that has 6 neutrons is therefore  ${}_6^{12}C$ . The subscript indicating the atomic number is actually redundant because the atomic symbol already uniquely specifies  $Z$ . Consequently,  ${}_6^{12}C$  is more often written as  $^{12}C$ , which is read as "carbon-12." Nevertheless, the value of  $Z$  is commonly included in the notation for nuclear reactions because these reactions involve changes in  $Z$ .




Figure 1.1.2: Formalism used for identifying specific nuclide (any particular kind of nucleus)

In addition to  $^{12}C$ , a typical sample of carbon contains 1.11%  $^{13}C$  ( $^{13}C$ ), with 7 neutrons and 6 protons, and a trace of  $^{14}C$  ( $^{14}C$ ), with 8 neutrons and 6 protons. The nucleus of  $^{14}C$  is not stable, however, but undergoes a slow radioactive decay that is the basis of the carbon-14 dating technique used in archaeology. Many elements other than carbon have more than one stable isotope; tin, for example, has 10 isotopes. The properties of some common isotopes are in Table 1.1.3.

Table 1.1.3: Properties of Selected Isotopes

Element	Symbol	Atomic Mass (amu)	Isotope Mass Number	Isotope Masses (amu)	Percent Abundances (%)
hydrogen	H	1.0079	1	1.007825	99.9855
			2	2.014102	0.0115
boron	B	10.81	10	10.012937	19.91
			11	11.009305	80.09
carbon	C	12.011	12	12 (defined)	99.89
			13	13.003355	1.11
oxygen	O	15.9994	16	15.994915	99.757
			17	16.999132	0.0378
			18	17.999161	0.205
iron	Fe	55.845	54	53.939611	5.82
			56	55.934938	91.66
			57	56.935394	2.19
			58	57.933276	0.33
uranium	U	238.03	234	234.040952	0.0054
			235	235.043930	0.7204
			238	238.050788	99.274

Sources of isotope data: G. Audi et al., Nuclear Physics A 729 (2003): 337–676; J. C. Kotz and K. F. Purcell, Chemistry and Chemical Reactivity, 2nd ed., 1991.

### ✓ EXAMPLE 1.1.1

An element with three stable isotopes has 82 protons. The separate isotopes contain 124, 125, and 126 neutrons. Identify the element and write symbols for the isotopes.

**Given:** number of protons and neutrons

**Asked for:** element and atomic symbol

**Strategy:**

- Refer to the periodic table and use the number of protons to identify the element.
- Calculate the mass number of each isotope by adding together the numbers of protons and neutrons.
- Give the symbol of each isotope with the mass number as the superscript and the number of protons as the subscript, both written to the left of the symbol of the element.

**Solution:**

**A** The element with 82 protons (atomic number of 82) is lead: Pb.

**B** For the first isotope,  $A = 82 \text{ protons} + 124 \text{ neutrons} = 206$ . Similarly,  $A = 82 + 125 = 207$  and  $A = 82 + 126 = 208$  for the second and third isotopes, respectively. The symbols for these isotopes are  $^{206}_{82}\text{Pb}$ ,  $^{207}_{82}\text{Pb}$ , and  $^{208}_{82}\text{Pb}$ , which are usually abbreviated as  $^{206}\text{Pb}$ ,  $^{207}\text{Pb}$ , and  $^{208}\text{Pb}$ .

### ? EXERCISE 1.1.1

Identify the element with 35 protons and write the symbols for its isotopes with 44 and 46 neutrons.

**Answer**

$^{79}_{35}\text{Br}$  and  $^{81}_{35}\text{Br}$  or, more commonly,  $^{79}\text{Br}$  and  $^{81}\text{Br}$ .

## SUMMARY

The atom consists of discrete particles that govern its chemical and physical behavior. Each atom of an element contains the same number of protons, which is the **atomic number** ( $Z$ ). Neutral atoms have the same number of electrons and protons. Atoms of an element that contain different numbers of neutrons are called **isotopes**. Each isotope of a given element has the same atomic number but a different **mass number** ( $A$ ), which is the sum of the numbers of protons and neutrons. The relative masses of atoms are reported using the **atomic mass unit** (amu), which is defined as one-twelfth of the mass of one atom of carbon-12, with 6 protons, 6 neutrons, and 6 electrons.

This page titled [1.1: Atomic Structure - The Nucleus](#) is shared under a [CC BY-SA 4.0](#) license and was authored, remixed, and/or curated by [Steven Farmer](#), [Dietmar Kennepohl](#), [Tim Soderberg](#), [William Reusch](#), & [William Reusch](#).

- [1.1: Atomic Structure - The Nucleus](#) by Dietmar Kennepohl, Steven Farmer, Tim Soderberg, William Reusch is licensed [CC BY-SA 4.0](#).