

12.1: INTRODUCTION

OBJECTIVES

After completing this section, you should be able to

1. give examples of the various biological roles played by proteins.
2. identify amino acids as being the building blocks from which all proteins are made.
3. show, in a general way, how the joining together of a number of amino acids through the formation of peptide bonds results in the formation of proteins.

KEY TERMS


Make certain that you can define, and use in context, the key terms below.

- amino acid
- enzyme
- peptide bond
- protein

STUDY NOTES


The "peptide bond" or "peptide linkage" that is formed between the amino group of one amino acid and the carboxyl group of a second amino acid is identical to the $C=O-N$ bond present in amides (see Section 21.7). We shall review the nature of such bonds in Section 26.4.

Proteins are polymers of **amino acids**, linked by amide groups known as **peptide bonds**. An amino acid can be thought of as having two components: a 'backbone', or 'main chain', composed of an ammonium group, an 'alpha-carbon', and a carboxylate, and a variable 'side chain' (in green below) bonded to the alpha-carbon.



There are twenty different [side chains in naturally occurring amino acids](#), and it is the identity of the side chain that determines the identity of the amino acid: for example, if the side chain is a $-\text{CH}_3$ group, the amino acid is alanine, and if the side chain is a $-\text{CH}_2\text{OH}$ group, the amino acid is serine. Many amino acid side chains contain a functional group (the side chain of serine, for example, contains a primary alcohol), while others, like alanine, lack a functional group, and contain only a simple alkane.

The two 'hooks' on an amino acid monomer are the amine and carboxylate groups. Proteins (polymers of ~50 amino acids or more) and peptides (shorter polymers) are formed when the amino group of one amino acid monomer reacts with the carboxylate carbon of another amino acid to form an amide linkage, which in protein terminology is a **peptide bond**. Which amino acids are linked, and in what order - the protein **sequence** - is what distinguishes one protein from another, and is coded for by an organism's DNA. Protein sequences are written in the amino terminal (N-terminal) to carboxylate terminal (C-terminal) direction, with either three-letter or single-letter abbreviations for the amino acids (see [amino acid table](#)). Below is a four amino acid peptide with the sequence "cysteine - histidine - glutamate - methionine". Using the single-letter code, the sequence is abbreviated CHEM.




CHEM peptide

When an amino acid is incorporated into a protein it loses a molecule of water and what remains is called a **residue** of the original amino acid. Thus we might refer to the 'glutamate residue' at position 3 of the CHEM peptide above.

Once a protein polymer is constructed, it in many cases folds up very specifically into a three-dimensional structure, which often includes one or more 'binding pockets' in which other molecules can be bound. It is this shape of this folded structure, and the precise arrangement of the functional groups within the structure (especially in the area of the binding pocket) that determines the function of the protein.

Enzymes are proteins which catalyze biochemical reactions. One or more reacting molecules - often called **substrates** - become bound in the **active site** pocket of an enzyme, where the actual reaction takes place. **Receptors** are proteins that bind specifically to one or more molecules - referred to as **ligands** - to initiate a biochemical process. For example, we saw in the introduction to this chapter that the TrpVI receptor in mammalian tissues binds capsaicin (from hot chili peppers) in its binding pocket and initiates a heat/pain signal which is sent to the brain.

Shown below is an image of the glycolytic enzyme fructose-1,6-bisphosphate aldolase (in grey), with the substrate molecule bound inside the active site pocket.



(x-ray crystallographic data are from *Protein Science* 1999, 8, 291; pdb code 4ALD. Image produced with Jmol First Glance)

[Intro to nucleic acids ⇒](#)

Organic Chemistry With a Biological Emphasis by Tim Soderberg (University of Minnesota, Morris)

•

This page titled [12.1: Introduction](#) is shared under a [CC BY-SA 4.0](#) license and was authored, remixed, and/or curated by [Steven Farmer & Dietmar Kennepohl](#) (Cañada College) .

- [26.1: Introduction](#) by Dietmar Kennepohl, Steven Farmer is licensed [CC BY-SA 4.0](#).