

Glossary

Acetyl-CoA | A molecule that participates in many biochemical reactions in protein, carbohydrate and lipid metabolism. Its main function is to deliver the acetyl group to the citric acid cycle (Krebs cycle) to be oxidized for energy production.

addition polymerization | A reaction in which monomers add to one another to produce a polymeric product that contains all the atoms of the starting monomers.

addition reactions | A reaction in which substituent groups join to hydrocarbon molecules at points of unsaturation—the double or triple bonds.

alcohol | An organic compound with an OH functional group on an aliphatic carbon atom.

aldehyde | An organic compound with a carbonyl functional group that has an hydrogen atom attached and either a hydrocarbon group or a second hydrogen atom.

alkaloid | A nitrogen-containing organic compound obtained from plants that has physiological properties.

alkanes (or saturated hydrocarbons) | A hydrocarbon with only carbon-to-carbon single bonds and existing as a continuous chain of carbon atoms also bonded to hydrogen atoms

alkenes | A hydrocarbon with one or more carbon-carbon double bonds.

alkyl group | A hydrocarbon group derived from an alkane by removal of a hydrogen atom.

alkyl halide (or haloalkane) | A compound resulting from the replacement of a hydrogen atom of an alkane with a halogen atom.

Alkynes | A hydrocarbon with a carbon-carbon triple bond.

alloy | A solid solution of a metal with other substances dissolved in it.

alpha particle | A type of radioactive emission that is equivalent to a helium atom nucleus.

amide | An organic compound with a carbonyl group joined to a nitrogen atom from ammonia or an amine.

amine | An organic compound derived from ammonia by the replacement of one, two, or three of the hydrogens atoms by alkyl or aryl groups.

amino group | An NH_2 unit.

amorphous | A solid with no regular structure.

amphiprotic | A substance that can either donate or accept a proton, depending on the circumstances.

amylopectin | A branched polymer of glucose units found in starch.

anabolism | Metabolic reactions in which molecules are synthesized.

anaerobic metabolism | A biochemical process that takes place in the absence of oxygen.

anions | A negatively charged ion.

anomeric carbon | The carbon atom that was the carbonyl carbon atom in the straight-chain form of a monosaccharide.

anticodon | A set of three nucleotides on the tRNA that is complementary to, and pairs with, the codon on the mRNA.

anticodon | A set of three nucleotides on the tRNA that is complementary to, and pairs with, the codon on the mRNA.

antioxidants | A substance in foods that acts as a reducing agent.

antioxidants | A compound that prevents oxidation.

aromatic compound | Any compound that contains a benzene ring or has certain benzene-like properties.

aromatic hydrocarbons | A hydrocarbon with a benzene-like structure.

aryl group | A group derived from an aromatic hydrocarbon by the removal of a hydrogen atom.

atomic bomb | A weapon that depends on a nuclear chain reaction to generate immense forces.

atomic mass | A weighted average of the masses of all the element's naturally occurring isotopes.

atomic mass unit | One-twelfth the mass of a ^{12}C atom.

atomic radius | The approximate size of an atom.

autoionization of water | The process by which water ionizes into hydronium ions and hydroxide ions as it acts as an acid and a base.

Avogadro's number | The value 6.022×10^{23} .

balanced | A property of a chemical equation when there are the same number of atoms of each element in the reactants and products.

base | A compound that increases the concentration of hydroxide ion (OH^-) in aqueous solution.

Base (or basic) units | A fundamental unit of SI.

beta particle | A type of radioactive emission that is equivalent to an electron.

beta particle | A type of radioactive emission that is equivalent to an electron.

Bilayers | A double layer of lipids arranged so that nonpolar tails are found between an inner surface and outer surface consisting of hydrophilic heads.

Bilayers | A double layer of lipids arranged so that nonpolar tails are found between an inner surface and outer surface consisting of hydrophilic heads.

Bile | The yellowish green liquid produced in the liver.

Bile | The yellowish green liquid produced in the liver.

biochemistry | The chemistry of molecules found in living organisms.

biochemistry | The chemistry of molecules found in living organisms.

boiling point | The temperature at which a substance goes from a liquid to a gas (or from a gas to a liquid).

boiling point | The temperature at which a substance goes from a liquid to a gas (or from a gas to a liquid).

boiling point elevation | The raising of the boiling point of a solution versus the pure solvent.

boiling point elevation | The raising of the boiling point of a solution versus the pure solvent.

bond length | The distance between two nuclei in a covalent bond.

bond length | The distance between two nuclei in a covalent bond.

Boyle's law | The gas law that relates pressure and volume.

Boyle's law | The gas law that relates pressure and volume.

Brønsted-Lowry base | A compound that accepts a hydrogen ion (H^+) in a reaction; a proton acceptor.

Brønsted-Lowry base | A compound that accepts a hydrogen ion (H^+) in a reaction; a proton acceptor.

buffer | A solution that resists dramatic changes in pH.

buffer | A solution that resists dramatic changes in pH.

calorie | A unit of energy widely used in the health professions and everyday life.

calorie | A unit of energy widely used in the health professions and everyday life.

capacity | The amount of strong acid or base a buffer can counteract.

capacity | The amount of strong acid or base a buffer can counteract.

carbohydrates | A compound composed of carbon, hydrogen, and oxygen atoms that is a polyhydroxy aldehyde or ketone or a compound that can be broken down to form such a compound. It is one of the three main components of the human diet.

carbohydrates | A compound composed of carbon, hydrogen, and oxygen atoms that is a polyhydroxy aldehyde or ketone or a compound that can be broken down to form such a compound. It is one of the three main components of the human diet.

carbonyl group | A compound with a carbon-to-oxygen double bond.

carbonyl group | A compound with a carbon-to-oxygen double bond.

carboxyl group | A functional group that contains a carbon-oxygen bond and an OH group also attached to the same carbon atom.

carboxyl group | A functional group that contains a carbon-oxygen bond and an OH group also attached to the same carbon atom.

carboxylic acids | An organic compound that has a carboxyl functional group.

carboxylic acids | An organic compound that has a carboxyl functional group.

cations | A positively charged ion.

cations | A positively charged ion.

cerebrosides | A sphingolipid that contains a fatty acid unit, a sphingosine unit, and galactose or glucose.

cerebrosides | A sphingolipid that contains a fatty acid unit, a sphingosine unit, and galactose or glucose.

chain reaction | An exponential growth in a process.

chain reaction | An exponential growth in a process.

Charles's law | The gas law that relates volume and absolute temperature.

Charles's law | The gas law that relates volume and absolute temperature.

chemical bond | A very strong attraction between two atoms.

chemical bond | A very strong attraction between two atoms.

chemical equilibrium (or equilibrium) | The condition in which the extent of a chemical reaction does not change any further.

chemical equilibrium (or equilibrium) | The condition in which the extent of a chemical reaction does not change any further.

chemical formula | A concise list of the elements in a compound and the ratios of these elements.

chemical formula | A concise list of the elements in a compound and the ratios of these elements.

Chemical properties | A characteristic that describes how matter changes its chemical structure or composition.

Chemical properties | A characteristic that describes how matter changes its chemical structure or composition.

chemical reaction | A representation of a chemical change.

chemical reaction | A representation of a chemical change.

chemical symbol | A one- or two-letter abbreviation for an element.

chemical symbol | A one- or two-letter abbreviation for an element.

chiral carbon | A carbon atom that has four different groups attached to it.

chiral carbon | A carbon atom that has four different groups attached to it.

Cholesterol | A steroid that is found in mammals.

Cholesterol | A steroid that is found in mammals.

cis-trans isomers (or geometric isomers) | Isomers that have different configurations because of the presence of a rigid structure such as a double bond or ring.

cis-trans isomers (or geometric isomers) | Isomers that have different configurations because of the presence of a rigid structure such as a double bond or ring.

citric acid cycle (or Krebs cycle or tricarboxylic acid [TCA] cycle) | A cyclic sequence of reactions that brings about the oxidation of a two-C unit to carbon dioxide and water.

citric acid cycle (or Krebs cycle or tricarboxylic acid [TCA] cycle) | A cyclic sequence of reactions that brings about the oxidation of a two-C unit to carbon dioxide and water.

codon | A set of three nucleotides on the mRNA that specifies a particular amino acid.

codon | A set of three nucleotides on the mRNA that specifies a particular amino acid.

coefficient | A number that gives the number of molecules of a substance in a balanced chemical equation.

coefficient | A number that gives the number of molecules of a substance in a balanced chemical equation.

coenzymes | A cofactor that is an organic molecule.

coenzymes | A cofactor that is an organic molecule.

colligative properties | A characteristic of solutions that depends only on the number of dissolved particles.

colligative properties | A characteristic of solutions that depends only on the number of dissolved particles.

combination (composition) reaction | A chemical reaction that makes a single substance from two or more reactants.

combination (composition) reaction | A chemical reaction that makes a single substance from two or more reactants.

combined gas law | The gas law that relates pressure, volume, and absolute temperature.

combined gas law | The gas law that relates pressure, volume, and absolute temperature.

combustion reaction | A chemical reaction accompanied by the production of light and/or heat, typically a vigorous reaction because of combination with oxygen.

combustion reaction | A chemical reaction accompanied by the production of light and/or heat, typically a vigorous reaction because of combination with oxygen.

combustion reaction | A chemical reaction in which a substance combines with molecular oxygen to make oxygen-containing compounds of other elements in the reaction.

combustion reaction | A chemical reaction in which a substance combines with molecular oxygen to make oxygen-containing compounds of other elements in the reaction.

competitive inhibitor | A compound that resembles a particular substrate and competes with the substrate for binding at the active site of an enzyme to slow the rate of the reaction.

competitive inhibitor | A compound that resembles a particular substrate and competes with the substrate for binding at the active site of an enzyme to slow the rate of the reaction.

complementary bases | Specific base pairings in the DNA double helix.

complementary bases | Specific base pairings in the DNA double helix.

compound | A substance that can be broken down into chemically simpler components.

compound | A substance that can be broken down into chemically simpler components.

concentration | How much solute is dissolved in a certain amount of solvent.

concentration | How much solute is dissolved in a certain amount of solvent.

condensed structural formulas | An organic chemical formula that shows the hydrogen atoms (or other atoms or groups) right next to the carbon atoms to which they are attached.

condensed structural formulas | An organic chemical formula that shows the hydrogen atoms (or other atoms or groups) right next to the carbon atoms to which they are attached.

conversion factor | A fraction that has equivalent quantities in the numerator and the denominator but expressed in different units.

conversion factor | A fraction that has equivalent quantities in the numerator and the denominator but expressed in different units.

core electrons | An electron in a lower-numbered shell of an atom.

core electrons | An electron in a lower-numbered shell of an atom.

covalent network bonding | A type of interaction in which all the atoms in a sample are covalently bonded to other atoms.

covalent network bonding | A type of interaction in which all the atoms in a sample are covalently bonded to other atoms.

curie (Ci) | A unit of radioactivity equal to 3.7×10^{10} decays per second.

curie (Ci) | A unit of radioactivity equal to 3.7×10^{10} decays per second.

cyclic hydrocarbons | A hydrocarbon with a ring of carbon atoms.

cyclic hydrocarbons | A hydrocarbon with a ring of carbon atoms.

cycloalkanes | A cyclic hydrocarbon with only single bonds.

cycloalkanes | A cyclic hydrocarbon with only single bonds.

cytochromes | A protein that contains an iron porphyrin in which iron can alternate between Fe(II) and Fe(III).

cytochromes | A protein that contains an iron porphyrin in which iron can alternate between Fe(II) and Fe(III).

cytoplasm | Everything between the cell membrane and the nuclear membrane.

cytoplasm | Everything between the cell membrane and the nuclear membrane.

decomposition reaction | A chemical reaction in which a single substance is converted into two or more products.

decomposition reaction | A chemical reaction in which a single substance is converted into two or more products.

Denaturation | Any change in the three-dimensional structure of a macromolecule that renders it incapable of performing its assigned function.

Denaturation | Any change in the three-dimensional structure of a macromolecule that renders it incapable of performing its assigned function.

Density | The mass of an object divided by its volume.

Density | The mass of an object divided by its volume.

Derived units | A combinations of the SI base units.

Derived units | A combinations of the SI base units.

diatomic molecules | A two-atom grouping that behaves as a single chemical entity.

diatomic molecules | A two-atom grouping that behaves as a single chemical entity.

digestion | The breakdown of food molecules by hydrolysis reactions into the individual monomer units in the mouth, stomach, and small intestine.

digestion | The breakdown of food molecules by hydrolysis reactions into the individual monomer units in the mouth, stomach, and small intestine.

dipole-dipole interaction | An attraction between polar molecules.

dipole-dipole interaction | An attraction between polar molecules.

Dispersion forces | A force caused by the instantaneous imbalance of electrons about a molecule.

Dispersion forces | A force caused by the instantaneous imbalance of electrons about a molecule.

dispersion forces (or London forces) | A force caused by the instantaneous imbalance of electrons about a molecule.

dispersion forces (or London forces) | A force caused by the instantaneous imbalance of electrons about a molecule.

dissociation | The process of cations and anions of an ionic solute separating when the solute dissolves.

dissociation | The process of cations and anions of an ionic solute separating when the solute dissolves.

Disulfide linkages | A covalent bond that forms by the oxidation and linkage of two sulfur atoms from the side chains of two cysteine residues.

Disulfide linkages | A covalent bond that forms by the oxidation and linkage of two sulfur atoms from the side chains of two cysteine residues.

double bond | Two pairs of electrons being shared by two atoms in a molecule.

double bond | Two pairs of electrons being shared by two atoms in a molecule.

electron | A subatomic particle with a negative electric charge.

electron | A subatomic particle with a negative electric charge.

electron configuration | A shorthand description of the arrangement of electrons in an atom.

electron configuration | A shorthand description of the arrangement of electrons in an atom.

electron transport chain (or respiratory chain) | An organized sequence of oxidation-reduction reactions that ultimately transports electrons to oxygen, reducing it to water.

electron transport chain (or respiratory chain) | An organized sequence of oxidation-reduction reactions that ultimately transports electrons to oxygen, reducing it to water.

electronegativity | A relative measure of how strongly an atom attracts electrons when it forms a covalent bond.

electronegativity | A relative measure of how strongly an atom attracts electrons when it forms a covalent bond.

emulsion | A dispersion of two liquids that do not normally mix.

emulsion | A dispersion of two liquids that do not normally mix.

enantiomers | Stereoisomers that are nonsuperimposable mirror images of each other.

enantiomers | Stereoisomers that are nonsuperimposable mirror images of each other.

endothermic | A process that absorbs energy.

endothermic | A process that absorbs energy.

Energy | The ability to do work.

Energy | The ability to do work.

equivalents (Eq) | One mole of charge (either positive or negative).

equivalents (Eq) | One mole of charge (either positive or negative).

essential amino acids | An amino acid that must be obtained from the diet because it cannot be synthesized in sufficient quantities by the body.

essential amino acids | An amino acid that must be obtained from the diet because it cannot be synthesized in sufficient quantities by the body.

essential fatty acids | A fatty acid that must be obtained from the diet because it cannot be synthesized by the human body.

essential fatty acids | A fatty acid that must be obtained from the diet because it cannot be synthesized by the human body.

ester | An organic compound derived from a carboxylic acid and an alcohol in which the OH of the acid is replaced by an OR group.

ester | An organic compound derived from a carboxylic acid and an alcohol in which the OH of the acid is replaced by an OR group.

esterification | The formation of an ester from a carboxylic acid and an alcohol.

esterification | The formation of an ester from a carboxylic acid and an alcohol.

ether | An organic compound that has an oxygen atom between two hydrocarbon groups.

ether | An organic compound that has an oxygen atom between two hydrocarbon groups.

Exact numbers | A number that is defined or counted.

Exact numbers | A number that is defined or counted.

exothermic | A process that gives off energy.

exothermic | A process that gives off energy.

fats | A compound, composed largely of hydrocarbon chains, that supplies energy for the body.

fats | A compound, composed largely of hydrocarbon chains, that supplies energy for the body.

Feedback inhibition | A normal biochemical process that makes use of noncompetitive inhibitors to control some enzymatic activity.

Feedback inhibition | A normal biochemical process that makes use of noncompetitive inhibitors to control some enzymatic activity.

fibrous proteins | A protein that is elongated or fiberlike and insoluble in water.

fibrous proteins | A protein that is elongated or fiberlike and insoluble in water.

formula mass | The sum of the masses of the elements in the formula of an ionic compound.

formula mass | The sum of the masses of the elements in the formula of an ionic compound.

formula unit | A set of oppositely charged ions that compose an ionic compound.

formula unit | A set of oppositely charged ions that compose an ionic compound.

freezing point depression | The lowering of the freezing point of a solution versus the pure solvent.

freezing point depression | The lowering of the freezing point of a solution versus the pure solvent.

functional group | A structural arrangement of atoms and/or bonds that imparts a wide range of important properties to organic compounds.

functional group | A structural arrangement of atoms and/or bonds that imparts a wide range of important properties to organic compounds.

functional groups | A specific structural arrangement of atoms or bonds that imparts a characteristic chemical reactivity to a molecule.

functional groups | A specific structural arrangement of atoms or bonds that imparts a characteristic chemical reactivity to a molecule.

Fusion | A nuclear process in which small nuclei are combined into larger nuclei, releasing energy.

Fusion | A nuclear process in which small nuclei are combined into larger nuclei, releasing energy.

galactosemia | A genetic disease caused by the absence of one of the enzymes needed to convert galactose to glucose.

galactosemia | A genetic disease caused by the absence of one of the enzymes needed to convert galactose to glucose.

gamma rays | A type of radioactive emission that is a very energetic form of electromagnetic radiation.

gamma rays | A type of radioactive emission that is a very energetic form of electromagnetic radiation.

gangliosides | A sphingolipid that contains a fatty acid unit, a sphingosine unit, and a complex oligosaccharide.

gangliosides | A sphingolipid that contains a fatty acid unit, a sphingosine unit, and a complex oligosaccharide.

gas law | A simple mathematical formula that relates two or more properties of a gas.

gas law | A simple mathematical formula that relates two or more properties of a gas.

Gastric juice | A mixture of water, inorganic ions, hydrochloric acid, and various enzymes and proteins found in the stomach.

Gastric juice | A mixture of water, inorganic ions, hydrochloric acid, and various enzymes and proteins found in the stomach.

Geiger counter | An electrical device that detects radioactivity.

Geiger counter | An electrical device that detects radioactivity.

genes | The basic unit of heredity.

genes | The basic unit of heredity.

genetic code | The identification of each group of three nucleotides and its particular amino acid.

genetic code | The identification of each group of three nucleotides and its particular amino acid.

genetic diseases | A hereditary condition caused by an altered DNA sequence.

genetic diseases | A hereditary condition caused by an altered DNA sequence.

Globular proteins | A protein that is generally spherical in structure and soluble in water.

Globular proteins | A protein that is generally spherical in structure and soluble in water.

glycols | An alcohol with two OH functional groups.

glycols | An alcohol with two OH functional groups.

glycolysis | The metabolic pathway in which glucose is broken down to two molecules of pyruvate with the corresponding production of ATP.

glycolysis | The metabolic pathway in which glucose is broken down to two molecules of pyruvate with the corresponding production of ATP.

glycosidic linkage | The carbon-oxygen-carbon linkage between monosaccharide units in more complex carbohydrates, such as disaccharides or polysaccharides.

glycosidic linkage | The carbon-oxygen-carbon linkage between monosaccharide units in more complex carbohydrates, such as disaccharides or polysaccharides.

groups (or families) | A column of elements on the periodic table.

groups (or families) | A column of elements on the periodic table.

half reactions | A chemical reaction that shows only oxidation or reduction.

half reactions | A chemical reaction that shows only oxidation or reduction.

half-life | The amount of time it takes for one-half of a radioactive isotope to decay.

half-life | The amount of time it takes for one-half of a radioactive isotope to decay.

halogenated hydrocarbons | A hydrocarbon in which one or more hydrogen atoms has been replaced by a halogen atom.

halogenated hydrocarbons | A hydrocarbon in which one or more hydrogen atoms has been replaced by a halogen atom.

halogenation | A reaction in which a halogen reacts at a carbon-to-carbon double or triple bond to add halogen atoms to carbon atoms.

halogenation | A reaction in which a halogen reacts at a carbon-to-carbon double or triple bond to add halogen atoms to carbon atoms.

heat | The transfer of energy from one part of the universe to another due to temperature differences.

heat | The transfer of energy from one part of the universe to another due to temperature differences.

heat of vaporization | The amount of heat per gram or per mole required for a phase change that occurs at the boiling point.

heat of vaporization | The amount of heat per gram or per mole required for a phase change that occurs at the boiling point.

heterocyclic compounds | A cyclic compound in which one or more atoms in the ring is an element other than a carbon atom.

heterocyclic compounds | A cyclic compound in which one or more atoms in the ring is an element other than a carbon atom.

homogeneous mixtures (or solutions) | A mixture that acts as a single substance so that it is not obvious that two or more substances are present.

homogeneous mixtures (or solutions) | A mixture that acts as a single substance so that it is not obvious that two or more substances are present.

homologous series | Any family of compounds in which adjacent members differ from each other by a definite factor.

homologous series | Any family of compounds in which adjacent members differ from each other by a definite factor.

hydration | Solvation by water molecules.

hydration | Solvation by water molecules.

hydration | The addition of water to a substance; in organic chemistry, the addition of water across the carbon-to-carbon double bond of an alkene or the carbon-to-oxygen double bond of an aldehyde or ketone.

hydration | The addition of water to a substance; in organic chemistry, the addition of water across the carbon-to-carbon double bond of an alkene or the carbon-to-oxygen double bond of an aldehyde or ketone.

hydrogen bonding | A particularly strong type of dipole-dipole interaction caused by a hydrogen atom being bonded to a very electronegative element.

hydrogen bonding | A particularly strong type of dipole-dipole interaction caused by a hydrogen atom being bonded to a very electronegative element.

Hydrogen bonding | Bonding between a highly electronegative oxygen atom or nitrogen atom and a hydrogen atom attached to another oxygen atom or nitrogen atom.

Hydrogen bonding | Bonding between a highly electronegative oxygen atom or nitrogen atom and a hydrogen atom attached to another oxygen atom or nitrogen atom.

hydrogenation | A reaction in which hydrogen gas reacts at a carbon-to-carbon double or triple bond or a carbon-to-oxygen double bond to add hydrogen atoms to carbon atoms.

hydrogenation | A reaction in which hydrogen gas reacts at a carbon-to-carbon double or triple bond or a carbon-to-oxygen double bond to add hydrogen atoms to carbon atoms.

hydrolysis | The reaction of a substance with water.

hydrolysis | The reaction of a substance with water.

ideal gas law | The gas law that relates volume, pressure, temperature, and amount of a gas.

ideal gas law | The gas law that relates volume, pressure, temperature, and amount of a gas.

ideal gas law constant | The constant that appears in the ideal gas law.

ideal gas law constant | The constant that appears in the ideal gas law.

immiscible | Liquids that do not dissolve in each other.

immiscible | Liquids that do not dissolve in each other.

induced-fit model | A model that says an enzyme can undergo a conformational change when it binds substrate molecules.

induced-fit model | A model that says an enzyme can undergo a conformational change when it binds substrate molecules.

inner transition metals | An element in the two rows beneath the main body on the periodic table. Such metals are also called the lanthanide and actinide elements.

inner transition metals | An element in the two rows beneath the main body on the periodic table. Such metals are also called the lanthanide and actinide elements.

inorganic chemistry | The study of the chemistry of all other elements.

inorganic chemistry | The study of the chemistry of all other elements.

intermolecular interactions | A force of attraction between different molecules.

intermolecular interactions | A force of attraction between different molecules.

Ionic bonding | Bonding that results from electrostatic attractions between positively and negatively charged groups.

Ionic bonding | Bonding that results from electrostatic attractions between positively and negatively charged groups.

ionic compounds | A compound formed with an ionic bond.

ionic compounds | A compound formed with an ionic bond.

ionic interactions | An attraction due to ions of opposite charges.

ionic interactions | An attraction due to ions of opposite charges.

irreversible inhibitor | A substance that inactivates an enzyme by bonding covalently to a specific group at the active site.

irreversible inhibitor | A substance that inactivates an enzyme by bonding covalently to a specific group at the active site.

isoelectric point | The pH at which a given amino acid exists in solution as a zwitterion.

isoelectric point | The pH at which a given amino acid exists in solution as a zwitterion.

isomers | Compounds having the same molecular formula but different structural formulas and properties.

isomers | Compounds having the same molecular formula but different structural formulas and properties.

isothermal | A process that occurs at constant temperature.

isothermal | A process that occurs at constant temperature.

isotopes | Atoms of the same element that have different numbers of neutrons.

isotopes | Atoms of the same element that have different numbers of neutrons.

IUPAC System of Nomenclature | A systematic way of naming chemical substances so that each has a unique name.

IUPAC System of Nomenclature | A systematic way of naming chemical substances so that each has a unique name.

joule | The SI unit of energy.

joule | The SI unit of energy.

joule | The SI unit of energy, work, and heat.

joule | The SI unit of energy, work, and heat.

ketogenic amino acids | An amino acid that is converted to acetoacetyl-CoA or acetyl-CoA, which can be used for the synthesis of ketone bodies but not glucose.

ketogenic amino acids | An amino acid that is converted to acetoacetyl-CoA or acetyl-CoA, which can be used for the synthesis of ketone bodies but not glucose.

ketone | An organic compound whose molecules have a carbonyl functional group between two hydrocarbon groups.

ketone | An organic compound whose molecules have a carbonyl functional group between two hydrocarbon groups.

ketoses | A monosaccharide that contains a ketone functional group on the second carbon atom.

ketoses | A monosaccharide that contains a ketone functional group on the second carbon atom.

kinetic theory of gases | The fundamental theory of the behavior of gases.

kinetic theory of gases | The fundamental theory of the behavior of gases.

L sugars | A sugar whose Fischer projection terminates in the same configuration as L-glyceraldehyde.

L sugars | A sugar whose Fischer projection terminates in the same configuration as L-glyceraldehyde.

lattice energy | The strength of interactions between atoms that make ionic bonds.

lattice energy | The strength of interactions between atoms that make ionic bonds.

law | A general statement that explains a large number of observations.

law | A general statement that explains a large number of observations.

law of conservation of matter | In any given system that is closed to the transfer of matter (in and out), the amount of matter in the system stays constant.

law of conservation of matter | In any given system that is closed to the transfer of matter (in and out), the amount of matter in the system stays constant.

Lewis diagrams | A representation that shows valence electrons as dots around the chemical symbol of an atom (also called Lewis electron dot diagrams).

Lewis diagrams | A representation that shows valence electrons as dots around the chemical symbol of an atom (also called Lewis electron dot diagrams).

line-angle formula | An organic chemical formula in which carbon atoms are implied at the corners and ends of lines. Each carbon atom is understood to be attached to enough hydrogen atoms to give each carbon atom four bonds.

line-angle formula | An organic chemical formula in which carbon atoms are implied at the corners and ends of lines. Each carbon atom is understood to be attached to enough hydrogen atoms to give each carbon atom four bonds.

lipids | A compound isolated from body tissues that is more soluble in organic solvents than in water.

lipids | A compound isolated from body tissues that is more soluble in organic solvents than in water.

lock-and-key model | A model that portrays an enzyme as conformationally rigid and able to bond only to a substrate or substrates that exactly fit the active site.

lock-and-key model | A model that portrays an enzyme as conformationally rigid and able to bond only to a substrate or substrates that exactly fit the active site.

mass number | The sum of the numbers of protons and neutrons in a nucleus of an atom.

mass number | The sum of the numbers of protons and neutrons in a nucleus of an atom.

mass-mass calculations | A stoichiometry calculation converting between the mass of one substance and the mass of a different substance in a chemical reaction.

mass-mass calculations | A stoichiometry calculation converting between the mass of one substance and the mass of a different substance in a chemical reaction.

mass/mass percent | A concentration unit that relates the mass of the solute to the mass of the solution.

mass/mass percent | A concentration unit that relates the mass of the solute to the mass of the solution.

mass/volume percent | A concentration unit that relates the mass of the solute to the volume of the solution.

mass/volume percent | A concentration unit that relates the mass of the solute to the volume of the solution.

Matter | Anything that has mass and takes up space.

Matter | Anything that has mass and takes up space.

metabolic pathway | A series of biochemical reactions by which an organism converts a given reactant to a specific end product.

metabolic pathway | A series of biochemical reactions by which an organism converts a given reactant to a specific end product.

microscopic | A view of the universe in which one is working with a few atoms or molecules at a time.

microscopic | A view of the universe in which one is working with a few atoms or molecules at a time.

mitochondria | Small, oval organelles with double membranes; the “power plants” of a cell.

mitochondria | Small, oval organelles with double membranes; the “power plants” of a cell.

modern atomic theory | The fundamental concept that all elements are composed of atoms.

modern atomic theory | The fundamental concept that all elements are composed of atoms.

molar mass | The mass of 1 mol of atoms or molecules.

molar mass | The mass of 1 mol of atoms or molecules.

Molarity | Number of moles of solute per liter of solution.

Molarity | Number of moles of solute per liter of solution.

mole-mass calculations | A stoichiometry calculation converting between masses and moles of different substances in a chemical reaction.

mole-mass calculations | A stoichiometry calculation converting between masses and moles of different substances in a chemical reaction.

mole-mass conversion | The conversion from moles of material to the mass of that same material.

mole-mass conversion | The conversion from moles of material to the mass of that same material.

molecular formulas | A chemical formula for a covalent compound.

molecular formulas | A chemical formula for a covalent compound.

molecular mass | The mass of a molecule, which is the sum of the masses of its atoms.

molecular mass | The mass of a molecule, which is the sum of the masses of its atoms.

molecule | A discrete group of atoms connected by covalent bonds.

molecule | A discrete group of atoms connected by covalent bonds.

mutagens | A chemical or physical agent that cause mutations.

mutagens | A chemical or physical agent that cause mutations.

mutarotation | The ongoing interconversion between anomeric forms of a monosaccharide to form an equilibrium mixture.

mutarotation | The ongoing interconversion between anomeric forms of a monosaccharide to form an equilibrium mixture.

mutation | Any chemical or physical change that alters the nucleotide sequence in DNA.

mutation | Any chemical or physical change that alters the nucleotide sequence in DNA.

neutralization | The reaction of acid and base to make water and a salt.

neutralization | The reaction of acid and base to make water and a salt.

neutron | A subatomic particle with no electric charge.

neutron | A subatomic particle with no electric charge.

nomenclature | The systematic naming of chemical compounds.

nomenclature | The systematic naming of chemical compounds.

nonbonding pairs (or lone pairs) | Electron pair that does not participate in covalent bonds.

nonbonding pairs (or lone pairs) | Electron pair that does not participate in covalent bonds.

noncompetitive inhibitor | A compound that can combine with either the free enzyme or the enzyme-substrate complex at a site distinct from the active site to slow the rate of the reaction.

noncompetitive inhibitor | A compound that can combine with either the free enzyme or the enzyme-substrate complex at a site distinct from the active site to slow the rate of the reaction.

nonelectrolytes | A compound that does not ionize at all when it dissolves.

nonelectrolytes | A compound that does not ionize at all when it dissolves.

nonpolar covalent bond | A covalent bond with a balanced electron distribution across the bond.

nonpolar covalent bond | A covalent bond with a balanced electron distribution across the bond.

Nuclear energy | The controlled harvesting of energy from fission reactions.

Nuclear energy | The controlled harvesting of energy from fission reactions.

nuclear reactor | An apparatus designed to carefully control the progress of a nuclear reaction and extract the resulting energy for useful purposes.

nuclear reactor | An apparatus designed to carefully control the progress of a nuclear reaction and extract the resulting energy for useful purposes.

nucleotides | A monomer unit that is linked together to form nucleic acids.

nucleotides | A monomer unit that is linked together to form nucleic acids.

nucleus | The central part of an atom that contains protons and neutrons.

nucleus | The central part of an atom that contains protons and neutrons.

octet rule | The idea that atoms tend to have eight electrons in their valence shell.

octet rule | The idea that atoms tend to have eight electrons in their valence shell.

oil | A triglyceride that is a liquid at room temperature.

oil | A triglyceride that is a liquid at room temperature.

optimum pH | The pH at which a particular enzyme exhibits maximum activity.

optimum pH | The pH at which a particular enzyme exhibits maximum activity.

Organic chemistry | The study of the chemistry of carbon compounds.

Organic chemistry | The study of the chemistry of carbon compounds.

organic compound | A compound containing carbon atoms.

organic compound | A compound containing carbon atoms.

Osmolarity | A way of reporting the total number of particles in a solution to determine the osmotic pressure.

Osmolarity | A way of reporting the total number of particles in a solution to determine the osmotic pressure.

osmotic pressure | The tendency for solvent molecules to move from the more dilute solution to the more concentrated solution until the concentrations of the two solutions are equal.

osmotic pressure | The tendency for solvent molecules to move from the more dilute solution to the more concentrated solution until the concentrations of the two solutions are equal.

oxidative deamination | A reaction in which glutamate loses its amino group as an ammonium ion and is oxidized back to α -ketoglutarate.

oxidative deamination | A reaction in which glutamate loses its amino group as an ammonium ion and is oxidized back to α -ketoglutarate.

oxidative phosphorylation | The process that links ATP synthesis to the operation of the electron transport chain.

oxidative phosphorylation | The process that links ATP synthesis to the operation of the electron transport chain.

oxidizing agent | A species that causes oxidation, which is itself reduced.

oxidizing agent | A species that causes oxidation, which is itself reduced.

parts per billion (ppb) | The mass of a solute compared to the mass of a solution times 1,000,000,000.

parts per billion (ppb) | The mass of a solute compared to the mass of a solution times 1,000,000,000.

peptide bond | The amide bond joining two amino acid units in a peptide or protein.

peptide bond | The amide bond joining two amino acid units in a peptide or protein.

period | A row of elements on the periodic table.

period | A row of elements on the periodic table.

periodic table | A chart of elements that groups the elements by some of their properties.

periodic table | A chart of elements that groups the elements by some of their properties.

peripheral proteins | A protein that is more loosely associated with the membrane surface.

peripheral proteins | A protein that is more loosely associated with the membrane surface.

pH scale | A logarithmic scale that relates the concentration of the hydrogen ion in solution.

pH scale | A logarithmic scale that relates the concentration of the hydrogen ion in solution.

phase | A form of matter that has the same physical properties throughout.

phase | A form of matter that has the same physical properties throughout.

phase change | A physical process in which a substance goes from one phase to another.

phase change | A physical process in which a substance goes from one phase to another.

phases | A certain form of matter that includes a specific set of physical properties.

phases | A certain form of matter that includes a specific set of physical properties.

phenols | An aromatic compound with an OH group attached directly to a benzene ring.

phenols | An aromatic compound with an OH group attached directly to a benzene ring.

photosynthesis | The process by which plants use solar energy to convert carbon dioxide and water to glucose.

photosynthesis | The process by which plants use solar energy to convert carbon dioxide and water to glucose.

photosynthesis | The process by which plants use solar energy to convert carbon dioxide and water to glucose.

photosynthesis | The process by which plants use solar energy to convert carbon dioxide and water to glucose.

point mutations | A change in which one nucleotide is substituted, added, or deleted.

point mutations | A change in which one nucleotide is substituted, added, or deleted.

polar | A molecule with a net unequal distribution of electrons in its covalent bonds.

polar | A molecule with a net unequal distribution of electrons in its covalent bonds.

polyamide | A condensation polymer in which the monomer units are joined by an amide linkage.

polyamide | A condensation polymer in which the monomer units are joined by an amide linkage.

polyatomic ions | An ion with more than one atom.

polyatomic ions | An ion with more than one atom.

polycyclic aromatic hydrocarbons (PAHs) | An aromatic hydrocarbon consisting of fused benzene rings sharing a common side.

polycyclic aromatic hydrocarbons (PAHs) | An aromatic hydrocarbon consisting of fused benzene rings sharing a common side.

polymers | A giant molecule formed by the combination of monomers in a repeating manner.

polymers | A giant molecule formed by the combination of monomers in a repeating manner.

polypeptides | A chain of about 50 or more amino acids.

polypeptides | A chain of about 50 or more amino acids.

polysaccharides | A carbohydrate containing many monosaccharide units.

polysaccharides | A carbohydrate containing many monosaccharide units.

polyunsaturated fatty acids | A fatty acid that has two or more carbon-to-carbon double bonds.

polyunsaturated fatty acids | A fatty acid that has two or more carbon-to-carbon double bonds.

power | The exponent in a number expressed in scientific notation.

power | The exponent in a number expressed in scientific notation.

pressure | Force divided by area.

pressure | Force divided by area.

primary (1°) alcohol | A compound with an OH group on a carbon atom that is attached to only one other carbon atom.

primary (1°) alcohol | A compound with an OH group on a carbon atom that is attached to only one other carbon atom.

primary structure | The sequence of amino acids in a polypeptide chain or protein.

primary structure | The sequence of amino acids in a polypeptide chain or protein.

products | A substance on the right side of the arrow in a chemical equation.

products | A substance on the right side of the arrow in a chemical equation.

Proteins | A compound of high molar mass consisting largely or entirely of amino acids linked together.

Proteins | A compound of high molar mass consisting largely or entirely of amino acids linked together.

proton | A subatomic particle with a positive charge.

proton | A subatomic particle with a positive charge.

purines | A heterocyclic amine consisting of a pyrimidine ring fused to a five-member ring with two nitrogen atoms.

purines | A heterocyclic amine consisting of a pyrimidine ring fused to a five-member ring with two nitrogen atoms.

quantized | Having a fixed value.

quantized | Having a fixed value.

quantum mechanics | The modern theory of electron behavior.

quantum mechanics | The modern theory of electron behavior.

quaternary structure | The arrangement of multiple subunits in a protein.

quaternary structure | The arrangement of multiple subunits in a protein.

rad | A unit of radioactive exposure equal to 0.01 J/g of tissue.

rad | A unit of radioactive exposure equal to 0.01 J/g of tissue.

radioactivity | Emanations of particles and radiation from atomic nuclei.

radioactivity | Emanations of particles and radiation from atomic nuclei.

reducing sugar | Any carbohydrate capable of reducing a mild oxidizing agent, such as Tollens' or Benedict's reagents, without first undergoing hydrolysis.

reducing sugar | Any carbohydrate capable of reducing a mild oxidizing agent, such as Tollens' or Benedict's reagents, without first undergoing hydrolysis.

rem | A unit of radioactive exposure that includes a factor to account for the type of radioactivity.

rem | A unit of radioactive exposure that includes a factor to account for the type of radioactivity.

replication | The process in which the DNA in a dividing cell is copied.

replication | The process in which the DNA in a dividing cell is copied.

respiration | The biochemical process by which the oxygen we inhale oxidizes foodstuffs to carbon dioxide and water.

respiration | The biochemical process by which the oxygen we inhale oxidizes foodstuffs to carbon dioxide and water.

Respiration | The process by which cells oxidize organic molecules in the presence of gaseous oxygen to produce carbon dioxide, water, and energy in the form of ATP.

Respiration | The process by which cells oxidize organic molecules in the presence of gaseous oxygen to produce carbon dioxide, water, and energy in the form of ATP.

retroviruses | An RNA virus that directs the synthesis of a DNA copy in the host cell.

retroviruses | An RNA virus that directs the synthesis of a DNA copy in the host cell.

Ribonucleic acid (RNA) | The nucleic acid responsible for using the genetic information encoded in DNA.

Ribonucleic acid (RNA) | The nucleic acid responsible for using the genetic information encoded in DNA.

Ribosomes | A cellular substructure where proteins are synthesized.

Ribosomes | A cellular substructure where proteins are synthesized.

round | The process of assessing the final significant figure of a quantity to determine if it should be kept or moved higher.

round | The process of assessing the final significant figure of a quantity to determine if it should be kept or moved higher.

saponification | The hydrolysis of fats and oils in the presence of a base to make soap.

saponification | The hydrolysis of fats and oils in the presence of a base to make soap.

saponification | The hydrolysis of fats and oils in the presence of a base to make soap.

saponification | The hydrolysis of fats and oils in the presence of a base to make soap.

Science | The process by which we learn about the natural universe by observing, testing, and then generating models that explain our observations.

Science | The process by which we learn about the natural universe by observing, testing, and then generating models that explain our observations.

scientific method | An organized procedure for learning answers to questions.

scientific method | An organized procedure for learning answers to questions.

secondary (2°) alcohol | A compound with an OH group on a carbon atom that is attached to two other carbon atoms.

secondary (2°) alcohol | A compound with an OH group on a carbon atom that is attached to two other carbon atoms.

secondary structure | The fixed arrangement of the polypeptide backbone.

secondary structure | The fixed arrangement of the polypeptide backbone.

semimetals (or metalloids) | An element whose properties are intermediate between metals and nonmetals.

semimetals (or metalloids) | An element whose properties are intermediate between metals and nonmetals.

shells | A grouping of electrons within an atom.

shells | A grouping of electrons within an atom.

significant figures | All the digits of a measured quantity known with certainty and the first uncertain, or estimated, digit.

significant figures | All the digits of a measured quantity known with certainty and the first uncertain, or estimated, digit.

single bond | A covalent bond formed by a single pair of electrons.

single bond | A covalent bond formed by a single pair of electrons.

solubility | The limit of how much solute can be dissolved in a given amount of solvent.

solubility | The limit of how much solute can be dissolved in a given amount of solvent.

solute | The minor component of a solution.

solute | The minor component of a solution.

solution | Another name for a homogeneous mixture.

solution | Another name for a homogeneous mixture.

specific heat | A proportionality constant that relates heat to a temperature change.

specific heat | A proportionality constant that relates heat to a temperature change.

Sphingolipids | A lipid that contains the unsaturated amino alcohol sphingosine.

Sphingolipids | A lipid that contains the unsaturated amino alcohol sphingosine.

Sphingomyelins | A sphingolipid that contains a fatty acid unit, a phosphoric acid unit, a sphingosine unit, and a choline unit.

Sphingomyelins | A sphingolipid that contains a fatty acid unit, a phosphoric acid unit, a sphingosine unit, and a choline unit.

spontaneous fission (or fission) | The breaking apart of an atomic nucleus into smaller nuclei.

spontaneous fission (or fission) | The breaking apart of an atomic nucleus into smaller nuclei.

standard temperature and pressure (STP) | 273 K (0°C) and 1.00 atm pressure.

standard temperature and pressure (STP) | 273 K (0°C) and 1.00 atm pressure.

steroids | A lipid with a four-fused-ring structure.

steroids | A lipid with a four-fused-ring structure.

Stock system | The system of indicating a cation's charge with roman numerals.

Stock system | The system of indicating a cation's charge with roman numerals.

stoichiometry | The study of the numerical relationships between the reactants and the products in a balanced chemical equation.

stoichiometry | The study of the numerical relationships between the reactants and the products in a balanced chemical equation.

strong acid | An acid that is 100% ionized in aqueous solution.

strong acid | An acid that is 100% ionized in aqueous solution.

strong base | A base that is 100% ionized in aqueous solution.

strong base | A base that is 100% ionized in aqueous solution.

structural formula | A chemical formula that shows how the atoms of a molecule are attached to one another.

structural formula | A chemical formula that shows how the atoms of a molecule are attached to one another.

subshells | A grouping of electrons within a shell.

subshells | A grouping of electrons within a shell.

substrate-level phosphorylation | The synthesis of ATP by the direct transfer of a phosphate group from a metabolite to ADP.

substrate-level phosphorylation | The synthesis of ATP by the direct transfer of a phosphate group from a metabolite to ADP.

substrates | A compound on which an enzyme acts.

substrates | A compound on which an enzyme acts.

tertiary (3°) alcohol | A compound with an OH group on a carbon atom that is attached to three other carbon atoms.

tertiary (3°) alcohol | A compound with an OH group on a carbon atom that is attached to three other carbon atoms.

tertiary (3°) amine | A compound that has three alkyl or aryl groups on the nitrogen atom.

tertiary (3°) amine | A compound that has three alkyl or aryl groups on the nitrogen atom.

Tertiary structure | The unique three-dimensional shape of a polypeptide chain as a whole.

Tertiary structure | The unique three-dimensional shape of a polypeptide chain as a whole.

theory | A general statement that describes a large set of observations and data.

theory | A general statement that describes a large set of observations and data.

Thiols | A compound with an SH functional group.

Thiols | A compound with an SH functional group.

torr | Another name for millimeters of mercury.

torr | Another name for millimeters of mercury.

tracer | A substance that can be used to follow the pathway of that substance through some structure.

tracer | A substance that can be used to follow the pathway of that substance through some structure.

Transamination | An exchange of functional groups between any amino acid and an α -keto acid.

Transamination | An exchange of functional groups between any amino acid and an α -keto acid.

transcription | The process in which RNA is synthesized from a DNA template.

transcription | The process in which RNA is synthesized from a DNA template.

translation | The process in which the information encoded in mRNA is used to direct the sequencing of amino acids to synthesize a protein.

translation | The process in which the information encoded in mRNA is used to direct the sequencing of amino acids to synthesize a protein.

triglycerides | An ester composed of three fatty acid units linked to glycerol and found in fats and oils.

triglycerides | An ester composed of three fatty acid units linked to glycerol and found in fats and oils.

triple bonds | Three pairs of electrons being shared by two atoms in a molecule.

triple bonds | Three pairs of electrons being shared by two atoms in a molecule.

unit | The scale of measurement for a quantity.

unit | The scale of measurement for a quantity.

unsaturated | A solution whose solute is less than its solubility limit.

unsaturated | A solution whose solute is less than its solubility limit.

unsaturated hydrocarbons | An alkene or alkyne having one or more multiple (double or triple) bonds between carbon atoms.

unsaturated hydrocarbons | An alkene or alkyne having one or more multiple (double or triple) bonds between carbon atoms.

valence shell electron pair repulsion (VSEPR) | The general concept that estimates the shape of a simple molecule.

valence shell electron pair repulsion (VSEPR) | The general concept that estimates the shape of a simple molecule.

vapor pressure | The pressure of a vapor that is in equilibrium with its liquid phase.

vapor pressure | The pressure of a vapor that is in equilibrium with its liquid phase.

vapor pressure depression | The lowering of the vapor pressure of a solution versus the pure solvent.

vapor pressure depression | The lowering of the vapor pressure of a solution versus the pure solvent.

Viruses | An infectious agent that is much smaller and simpler than bacteria.

Viruses | An infectious agent that is much smaller and simpler than bacteria.

Vitamins | An organic compound that is essential in very small amounts for the maintenance of normal metabolism.

Vitamins | An organic compound that is essential in very small amounts for the maintenance of normal metabolism.

Volume | The amount of space that a given substance occupies.

Volume | The amount of space that a given substance occupies.

volume/volume percent | A concentration unit that relates the volume of the solute to the volume of the solution.

volume/volume percent | A concentration unit that relates the volume of the solute to the volume of the solution.

weak base | A base that is less than 100% ionized in aqueous solution.

weak base | A base that is less than 100% ionized in aqueous solution.

zwitterion | An electrically neutral compound that contains both negatively and positively charged groups.

zwitterion | An electrically neutral compound that contains both negatively and positively charged groups.

β -oxidation | A sequence of four reactions in which fatty acyl-CoA molecules are oxidized, leading to the removal of acetyl-CoA molecules.

β -oxidation | A sequence of four reactions in which fatty acyl-CoA molecules are oxidized, leading to the removal of acetyl-CoA molecules.

- [Glossary](#) by Anonymous is licensed [CC BY-NC-SA 3.0](#).