

## 6.2: Gram-Mole Conversions

### Learning Objectives

- To convert between mass units and mole units.

As we just discussed, **molar mass** is defined as the mass (in grams) of 1 mole of substance (or Avogadro's number of molecules or formula units).

The simplest type of manipulation using molar mass as a *conversion factor* is a mole-gram conversion (or its reverse, a gram-mole conversion).

We also established that 1 mol of Al has a mass of 26.98 g (Example 6.2.1). Stated mathematically,

$$1 \text{ mol Al} = 26.98 \text{ g Al}$$

We can divide both sides of this expression by either side to get one of two possible conversion factors:

$$\frac{1 \text{ mol Al}}{26.98 \text{ g Al}} \quad \text{and} \quad \frac{26.98 \text{ g Al}}{1 \text{ mol Al}}$$


The first conversion factor can be used to convert from mass to moles, and the second converts from moles to mass. Both can be used to solve problems that would be hard to do “by eye.”

### ✓ Example 6.2.1

What is the mass of 3.987 mol of Al?

#### Solution

The first step in a conversion problem is to decide what conversion factor to use. Because we are starting with mole units, we want a conversion factor that will cancel the mole unit and introduce the unit for mass in the numerator. Therefore, we should use the  $\frac{26.98 \text{ g Al}}{1 \text{ mol Al}}$  conversion factor. We start with the given quantity and multiply by the conversion factor:



$$3.987 \text{ mol Al} \times \frac{26.98 \text{ g Al}}{1 \text{ mol Al}}$$

Note that the mol units cancel algebraically. (The quantity 3.987 mol is understood to be in the numerator of a fraction that has 1 in the unwritten denominator.) Canceling and solving gives

$$3.987 \text{ mol Al} \times \frac{26.98 \text{ g Al}}{1 \text{ mol Al}} = 107.6 \text{ g Al}$$

Our final answer is expressed to four significant figures.

### ? Exercise 6.2.1

How many moles are present in 100.0 g of Al? (Hint: you will have to use the other conversion factor we obtained for aluminum.)

#### Answer

$$100.0 \text{ g Al} \times \frac{1 \text{ mol Al}}{26.98 \text{ g Al}} = 3.706 \text{ mol Al}$$

Conversions like this are possible for any substance, as long as the proper atomic mass, formula mass, or molar mass is known (or can be determined) and expressed in grams per mole. Figure 6.2.1 is a chart for determining what conversion factor is needed, and Figure 6.2.2 is a flow diagram for the steps needed to perform a conversion.




Figure 6.2.1 A Simple Flowchart for Converting between Mass and Moles of a Substance. It takes one mathematical step to convert from moles to mass or from mass to moles.



Figure 6.2.2 A Flowchart Illustrating the Steps in Performing a Unit Conversion. When performing many unit conversions, the same logical steps can be taken.

### ✓ Example 6.2.2

A biochemist needs 0.00655 mol of bilirubin ( $C_{33}H_{36}N_4O_6$ ) for an experiment. How many grams of bilirubin will that be?

#### Solution

To convert from moles to mass, we need the molar mass of bilirubin, which we can determine from its chemical formula:

<b>33 C molar mass:</b>	$33 \times 12.01 \text{ g} =$	396.33 g
<b>36 H molar mass:</b>	$36 \times 1.01 \text{ g} =$	36.36 g
<b>4 N molar mass:</b>	$4 \times 14.01 \text{ g} =$	56.04 g
<b>6 O molar mass:</b>	$6 \times 16.00 \text{ g} =$	96.00 g
<b>Total:</b>		584.73 g

The molar mass of bilirubin is 584.73 g. Using the relationship

$$1 \text{ mol bilirubin} = 584.73 \text{ g bilirubin}$$

we can construct the appropriate conversion factor for determining how many grams there are in 0.00655 mol. Following the steps from Figure 6.2.2:

$$0.00655 \text{ mol bilirubin} \times \frac{584.73 \text{ g bilirubin}}{1 \text{ mol bilirubin}} = 3.83 \text{ g bilirubin}$$

The mol bilirubin unit cancels. The biochemist needs 3.83 g of bilirubin.

### ? Exercise 6.2.2

A chemist needs 457.8 g of  $KMnO_4$  to make a solution. How many moles of  $KMnO_4$  is that?

#### Answer

$$457.8 \text{ g } KMnO_4 \times \frac{1 \text{ mol } KMnO_4}{158.04 \text{ g } KMnO_4} = 2.897 \text{ mol } KMnO_4$$

## 📌 To Your Health: Minerals

For our bodies to function properly, we need to ingest certain substances from our diets. Among our dietary needs are minerals, the noncarbon elements our body uses for a variety of functions, such as developing bone or ensuring proper nerve transmission. The US Department of Agriculture has established some recommendations for the RDIs of various minerals. The accompanying table lists the RDIs for minerals, both in mass and moles, assuming a 2,000-calorie daily diet.

Table 6.2.1: Essential Minerals and their Composition in Humans

Mineral	Male (age 19–30 y)		Female (age 19–30 y)	
Ca	1,000 mg	0.025 mol	1,000 mg	0.025 mol
Cr	35 µg	$6.7 \times 10^{-7}$ mol	25 µg	$4.8 \times 10^{-7}$ mol
Cu	900 µg	$1.4 \times 10^{-5}$ mol	900 µg	$1.4 \times 10^{-5}$ mol
F	4 mg	$2.1 \times 10^{-4}$ mol	3 mg	$1.5 \times 10^{-4}$ mol
I	150 µg	$1.2 \times 10^{-6}$ mol	150 µg	$1.2 \times 10^{-6}$ mol
Fe	8 mg	$1.4 \times 10^{-4}$ mol	18 mg	$3.2 \times 10^{-4}$ mol
K	3,500 mg	$9.0 \times 10^{-2}$ mol	3,500 mg	$9.0 \times 10^{-2}$ mol
Mg	400 mg	$1.6 \times 10^{-2}$ mol	310 mg	$1.3 \times 10^{-2}$ mol
Mn	2.3 mg	$4.2 \times 10^{-5}$ mol	1.8 mg	$3.3 \times 10^{-5}$ mol
Mo	45 mg	$4.7 \times 10^{-7}$ mol	45 mg	$4.7 \times 10^{-7}$ mol
Na	2,400 mg	$1.0 \times 10^{-1}$ mol	2,400 mg	$1.0 \times 10^{-1}$ mol
P	700 mg	$2.3 \times 10^{-2}$ mol	700 mg	$2.3 \times 10^{-2}$ mol
Se	55 µg	$7.0 \times 10^{-7}$ mol	55 µg	$7.0 \times 10^{-7}$ mol
Zn	11 mg	$1.7 \times 10^{-4}$ mol	8 mg	$1.2 \times 10^{-4}$ mol

Table 6.2.1 illustrates several things. First, the needs of men and women for some minerals are different. The extreme case is for iron; women need over twice as much as men do. In all other cases where there is a different RDI, men need more than women.

Second, the amounts of the various minerals needed on a daily basis vary widely—both on a mass scale and a molar scale. The average person needs 0.1 mol of Na a day, which is about 2.5 g. On the other hand, a person needs only about 25–35 µg of Cr per day, which is under one millionth of a mole. As small as this amount is, a deficiency of chromium in the diet can lead to diabetes-like symptoms or neurological problems, especially in the extremities (hands and feet). For some minerals, the body does not require much to keep itself operating properly.

Although a properly balanced diet will provide all the necessary minerals, some people take dietary supplements. However, too much of a good thing, even minerals, is not good. Exposure to too much chromium, for example, causes a skin irritation, and certain forms of chromium are known to cause cancer (as presented in the movie *Erin Brockovich*).

6.2: Gram-Mole Conversions is shared under a [CC BY-NC-SA 3.0](#) license and was authored, remixed, and/or curated by LibreTexts.

- **6.3: Mole-Mass Conversions** by Anonymous is licensed [CC BY-NC-SA 3.0](#). Original source: <https://2012books.lardbucket.org/books/introduction-to-chemistry-general-organic-and-biological>.