

10.5: Measuring Acidity in Aqueous Solutions- The pH Scale

Learning Objectives

- Define the pH scale and use it to describe acids and bases.
- Calculate the pH of a solution from $[H_3O^+]$ and $[OH^-]$.

Knowing the amount of acid and base in solutions is extremely important for a wide variety of applications ranging from brewing beer or wine to studying the effects of ocean acidification to health and medicine. Scientists are good at calculating and measuring the concentration of hydronium in a solution, however, there is a more convenient way to make comparisons between solutions – the *pH scale*.

The pH Scale

One qualitative measure of the strength of an acid or a base solution is the pH scale, which is based on the concentration of the hydronium (or hydrogen) ion in aqueous solution.

$$pH = -\log[H^+]$$

or

$$pH = -\log[H_3O^+]$$

Figure 10.5.1 illustrates this relationship, along with some examples of various solutions. Because hydrogen ion concentrations are generally less than one (for example $1.3 \times 10^{-3} M$), the log of the number will be a negative number. To make pH even easier to work with, pH is defined as the *negative* log of $[H_3O^+]$, which will give a positive value for pH.




Figure 10.5.1: The relationship between $[H^+]$ and *pH* values for several common materials.

A neutral (neither acidic nor basic) solution has a pH of 7. A pH below 7 means that a solution is acidic, with lower values of pH corresponding to increasingly acidic solutions. A pH greater than 7 indicates a basic solution, with higher values of pH corresponding to increasingly basic solutions. Thus, given the pH of several solutions, you can state which ones are acidic, which ones are basic, and which are more acidic or basic than others. These are summarized in Table 10.5.1.

Table 10.5.1: Acidic, Basic and Neutral pH Values

Classification	Relative Ion Concentrations	pH at 25 °C
acidic	$[H^+] > [OH^-]$	pH < 7

Classification	Relative Ion Concentrations	pH at 25°C
neutral	$[H^+] = [OH^-]$	pH = 7
acidic	$[H^+] > [OH^-]$	pH < 7
basic	$[H^+] < [OH^-]$	pH > 7

✓ Example 10.5.1

Find the pH, given the $[H^+]$ of the following:

- $1 \times 10^{-3} \text{ M}$
- $2.5 \times 10^{-11} \text{ M}$
- $4.7 \times 10^{-9} \text{ M}$

Solution

$$\text{pH} = -\log [H_3O^+]$$

Substitute the known quantity into the equation and solve. Use a scientific calculator for b and c.

- $\text{pH} = -\log [1 \times 10^{-3}] = 3.0$ (1 decimal place since 1 has 1 significant figure)
- $\text{pH} = -\log [2.5 \times 10^{-11}] = 10.60$ (2 decimal places since 2.5 has 2 significant figures)
- $\text{pH} = -\log [4.7 \times 10^{-9}] = 8.33$ (2 decimal places since 4.7 has 2 significant figures)

Note on significant figures:

Because the number(s) before the decimal point in the pH value relate to the power on 10, the number of digits *after* the decimal point (underlined) is what determines the number of significant figures in the final answer.

? Exercise 10.5.1

Find the pH, given $[H^+]$ of the following:

- $5.8 \times 10^{-4} \text{ M}$
- $1.0 \times 10^{-7} \text{ M}$

Answer

- 3.24
- 7.00

Figure 10.5.2 lists the pH of several common solutions. The most *acidic* among the listed solutions is 1 M HCl with the lowest pH value (0.0): battery acid is the next most acidic solution with a pH value of 0.3. The most *basic* is 1M NaOH solution with the highest pH value of 14.0. Notice that some biological fluids (stomach acid and urine) are nowhere near neutral. You may also notice that many food products are slightly acidic. They are acidic because they contain solutions of weak acids. If the acid components of these foods were strong acids, the food would likely be inedible.




Figure 10.5.2: A Plot of pH versus $[H^+]$ for Some Common Aqueous Solutions. Although many substances exist in a range of pH values (indicated in parentheses), they are plotted using typical values.

✓ Example 10.5.2

Label each solution as acidic, basic, or neutral based only on the stated pH .

- milk of magnesia, $pH = 10.5$
- pure water, $pH = 7$
- wine, $pH = 3.0$

Solution

- With a pH greater than 7, milk of magnesia is basic. (Milk of magnesia is largely $Mg(OH)_2$.)
- Pure water, with a pH of 7, is neutral.
- With a pH of less than 7, wine is acidic.

? Exercise 10.5.2

Identify each substance as acidic, basic, or neutral based only on the stated pH .

- human blood with $pH = 7.4$
- household ammonia with $pH = 11.0$
- cherries with $pH = 3.6$

Answer

- slightly basic
- basic
- acidic

Measuring pH

Tools have been developed that make the measurement of pH simple and convenient. For example, pH paper (Figure 10.5.3) consists of strips of paper impregnated with one or more **acid-base indicators**, which are intensely colored organic molecules whose colors change dramatically depending on the pH of the solution. Placing a drop of a solution on a strip of pH

paper and comparing its color with standards give the solution's approximate pH. A more accurate tool, the pH meter, uses a glass electrode, a device whose voltage depends on the H^+ ion concentration (Figure 10.5.3).







Figure 10.5.3: Ways to measure pH. (left) These pH strips can measure pH in a series of ranges by putting sample on a strip and comparing its color change with colors on the box that correspond to a certain pH. The strip on the left measures pH 0-7 and shows results of a strong acid sample; the center strip is pH range 5-10 and shows results of a 6.97 buffer solution sample; the strip on the right measures a broad range (pH 1-14) and shows results of a 10% bleach water solution sample. This image can be enlarged by clicking on it. (right) These three meters and probes can measure pH (left) and electrical conductivity (center and right). Photos by Monica Bruckner (courtesy of the Science Education Resource Center (SERC) at Carleton College).

📌 Acid Rain

Normal rainwater has a pH between 5 and 6 due to the presence of dissolved CO_2 which forms carbonic acid:



Acid rain is rainwater that has a pH of less than 5, due to a variety of nonmetal oxides, including CO_2 , SO_2 , SO_3 , NO , and NO_2 being dissolved in the water and reacting with it to form not only carbonic acid, but sulfuric acid and nitric acid. The formation and subsequent ionization of sulfuric acid are shown here:



Carbon dioxide is naturally present in the atmosphere because we and most other organisms produce it as a waste product of metabolism. Carbon dioxide is also formed when fires release carbon stored in vegetation or when we burn wood or fossil fuels. Sulfur trioxide in the atmosphere is naturally produced by volcanic activity, but it also stems from burning fossil fuels, which have traces of sulfur, and from the process of “roasting” ores of metal sulfides in metal-refining processes. Oxides of nitrogen are formed in internal combustion engines where the high temperatures make it possible for the nitrogen and oxygen in air to chemically combine.

Acid rain is a particular problem in industrial areas where the products of combustion and smelting are released into the air without being stripped of sulfur and nitrogen oxides. In North America and Europe until the 1980s, it was responsible for the destruction of forests and freshwater lakes, when the acidity of the rain actually killed trees, damaged soil, and made lakes

uninhabitable for all but the most acid-tolerant species. Acid rain also corrodes statuary and building facades that are made of marble and limestone (Figure 10.5.4). Regulations limiting the amount of sulfur and nitrogen oxides that can be released into the atmosphere by industry and automobiles have reduced the severity of acid damage to both natural and manmade environments in North America and Europe. It is now a growing problem in industrial areas of China and India.



Figure 10.5.4 (a) Acid rain makes trees more susceptible to drought and insect infestation, and depletes nutrients in the soil. (b) It also corrodes statues that are carved from marble or limestone. (credit a: modification of work by Chris M Morris; credit b: modification of work by “Eden, Janine and Jim”/Flickr)

10.5: Measuring Acidity in Aqueous Solutions- The pH Scale is shared under a [CC BY-NC-SA 3.0](https://creativecommons.org/licenses/by-nc-sa/3.0/) license and was authored, remixed, and/or curated by LibreTexts.

- [10.4: The Strengths of Acids and Bases](https://2012books.lardbucket.org/books/introduction-to-chemistry-general-organic-and-biological/) by Anonymous is licensed [CC BY-NC-SA 3.0](https://creativecommons.org/licenses/by-nc-sa/3.0/). Original source: [https://2012books.lardbucket.org/books/introduction-to-chemistry-general-organic-and-biological.](https://2012books.lardbucket.org/books/introduction-to-chemistry-general-organic-and-biological/)