

13.5: Summary

13.5.1: Key Takeaways

The equation of motion for the position, $x(t)$, of the mass in a one-dimensional spring-mass system with no friction can be written:

$$\frac{d^2x}{dt^2} = -\sqrt{\frac{k}{m}}x = -\omega^2x$$

and has a solution:

$$x(t) = A \cos(\omega t + \phi)$$

where A is the amplitude of the motion, ϕ is the phase, which depends on our choice of initial conditions (when we choose time $t = 0$), and ω :

$$\omega = \sqrt{\frac{k}{m}}$$

is the angular frequency of the motion. The mass will oscillate about an equilibrium position with a period, T , and frequency, f , given by:

$$T = \frac{2\pi}{\omega} = 2\pi\sqrt{\frac{m}{k}}$$

$$f = \frac{1}{T} = \frac{\omega}{2\pi} = \frac{1}{2\pi}\sqrt{\frac{k}{m}}$$

The velocity and acceleration of the mass are found by taking the time derivatives of the position $x(t)$:

$$x(t) = A \cos(\omega t + \phi)$$

$$v(t) = \frac{d}{dt}x(t) = -A\omega \sin(\omega t + \phi)$$

$$a(t) = \frac{d^2}{dt^2}x(t) = \frac{d}{dt}(-A\omega \sin(\omega t + \phi)) = -A\omega^2 \cos(\omega t + \phi)$$

The total mechanical energy of the mass, at some position x , is given by:

$$E = U + K = \frac{1}{2}kx^2 + \frac{1}{2}mv^2 = \frac{1}{2}kA^2$$

and is conserved.

Any system that can be described by the equation of motion:

$$\frac{d^2x}{dt^2} = -\omega^2x$$

is said to be a simple harmonic oscillator, and its position will be described by:

$$x(t) = A \cos(\omega t + \phi)$$

A simple harmonic oscillator will always oscillate about an equilibrium position, where the net force on the oscillator is zero. The net force on a simple harmonic oscillator is always directed towards the equilibrium position, and has a magnitude proportional to the distance of the oscillator from its equilibrium position. The force is called a restoring force. A vertical spring-mass system, and a mass attached to two springs will both undergo simple harmonic motion about their respective equilibrium position.

A simple pendulum will undergo simple harmonic oscillations, if the amplitude of the oscillations is small. The angular frequency for the oscillations of a simple pendulum only depends on the length of the pendulum:

$$\omega = \sqrt{\frac{g}{L}}$$

This is valid in the small angle approximation, where:

$$\sin \theta \approx \theta$$

A physical pendulum of mass m which oscillates about an axis through the object will also undergo simple harmonic oscillation in the small angle approximation. The angular frequency of the oscillations for a physical pendulum is given by:

$$\omega = \sqrt{\frac{mgh}{I}}$$

where h is the distance between the center of mass and the axis of rotation, and I is the moment of inertia of the object about the rotation axis.

13.5.2: Important Equations

13.5.2.1: Position, velocity, and acceleration for SHM:

$$x(t) = A \cos(\omega t + \phi)$$

$$v(t) = \frac{d}{dt}x(t) = -A\omega \sin(\omega t + \phi)$$

$$a(t) = \frac{d^2}{dt^2}x(t) = -A\omega^2 \cos(\omega t + \phi)$$

13.5.2.2: Period and frequency:

$$\omega = \sqrt{\frac{k}{m}}$$

$$T = \frac{2\pi}{\omega} = 2\pi \sqrt{\frac{m}{k}}$$

$$f = \frac{1}{T} = \frac{\omega}{2\pi} = \frac{1}{2\pi} \sqrt{\frac{k}{m}}$$

13.5.2.2.1: Mechanical energy:

$$E = U + K = \frac{1}{2}kx^2 + \frac{1}{2}mv^2 = \frac{1}{2}kA^2$$

13.5.2.3: Simple pendulum (small angles):

$$\omega = \sqrt{\frac{g}{L}}$$

13.5.2.3.1: Physical pendulum (small angles):

$$\omega = \sqrt{\frac{mgh}{I}}$$

13.5.3: Important Definitions

Definition

Angular frequency: is related to a usual frequency by a factor of 2π . For an object rotating around a circle at constant speed, the angular frequency of the rotation is the same as the angular speed (the rate of change of a position angle). SI units: [rad/s]. Common variable(s): ω .

This page titled [13.5: Summary](#) is shared under a [CC BY-SA 4.0](#) license and was authored, remixed, and/or curated by [Ryan D. Martin](#), [Emma Neary](#), [Joshua Rinaldo](#), and [Olivia Woodman](#) via [source content](#) that was edited to the style and standards of the LibreTexts platform.

- **13.5: Summary** by Ryan D. Martin, Emma Neary, Joshua Rinaldo, and Olivia Woodman is licensed [CC BY-SA 4.0](#). Original source: <https://github.com/OSTP/PhysicsArtofModelling/blob/master/README.md>.